

**WOLVERCOTE COMMON PLANTS & FUNGI 2013 Dr J A Webb**

 Key: species of conservation importance
**alien species of concern**

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>ALGAE</b>				
Chara sp	stonewort	Long Pond	occasional	
Enteromorpha sp. alga	intestine weed	Long Pond	frequent	
Hydrodictyon reticulatum	water net	Long Pond	rare	
<b>MOSSES</b>				
Drepanocladus aduncus	Kneiff's hook-moss	uneven area of gravel digging, hummocks and hollows	rare	
Brachythecium rutabulum	rough stalked feather-moss	uneven area of gravel digging, hummocks and hollows	frequent	
Calliergonella cuspidata	common spear moss	uneven area of gravel digging, hummocks and hollows	locally frequent	
<b>FERNS</b>				
Ophioglossum vulgatum	adder's tongue fern	uneven area of gravel digging, hummocks and hollows	rare	
<b>FLOWERING PLANTS</b>				
Achillea millefolium	yarrow	uneven area of gravel digging, hummocks and hollows	frequent	
Agrostis stolonifera	creeping bent	all areas	abundant	
Alisma plantago-aquatica	water plantain	Long Pond	rare	
Alopecurus geniculatus	marsh foxtail	uneven area of gravel digging, hummocks and hollows	occasional	
Anisantha sterilis	barren brome	north bank to Godstow Road	occasional	
Anthoxanthum odoratum	sweet vernal grass	uneven area of gravel digging, hummocks and hollows	occasional	
Aphanes arvensis	parsley piert	north bank to Godstow Road	rare	
Apium nodiflorum	fool's water cress	dried margins of Wren's pond	locally frequent	
Arenaria serpyllifolia	thyme-leaved sandwort	north bank to Godstow Road	rare	
Bellis perennis	common daisy	uneven area of gravel digging, hummocks and hollows	occasional	
Briza media	quaking grass	uneven area of gravel digging, hummocks and hollows	6 flowering heads	

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>FLOWERING PLANTS</b> (continued)				
Bromus hordeaceus	soft brome	north bank to Godstow Road	occasional	
Bromus racemosus	smooth brome	uneven area of gravel digging, hummocks and hollows	rare	
Butomus umbellatus	flowering rush	Long Pond	locally frequent	Draft Oxon RPR
Callitriche sp	water starwort	Long Pond	occasional	
Cardamine pratense	cuckoo flower	scattered over whole area	frequent	
Carex caryophylla	spring sedge	uneven area of gravel digging, hummocks and hollows	occasional	
Carex flacca	glaucous sedge	on mounds	frequent	
Carex hirta	hairy sedge	uneven area of gravel digging, hummocks and hollows	frequent	
Carex otrubae	false fox sedge	uneven area of gravel digging, hummocks and hollows	rare	
Carex riparia	greater pond sedge	Long Pond	locally frequent	
Carex spicata	spiked sedge	dry bank to causeway to Godstow Rd, N of Long Pond	rare	
Catapodium rigidum	fern grass	bank to Godstow Road	rare	
Centaurea nigra	black knapweed	uneven area of gravel digging, hummocks and hollows	occasional	
Cerastium fontanum	mouse-ear	uneven area of gravel digging, hummocks and hollows	locally frequent	
Ceratophyllum demersum	rigid hornwort	Long Pond	occasional	
Cirsium acaule	dwarf thistle	uneven area of gravel digging, hummocks and hollows	rare	
Cirsium arvense	creeping thistle	dry grassland next to Long Pond	common to locally dominant	
<b>Crassula helmsii</b>	<b>swamp stonecrop</b>	<b>Long Pond N side, ditch at N adjacent to houses</b>	extensive patches	Invasive alien
Crepis capillaris	smooth hawk'sbeard	north bank to Godstow Road	occasional	
Cynosurus cristatus	crested dog's tail	uneven area of gravel digging, hummocks and hollows	frequent	
Dactylis glomerata	cock's foot	uneven area of gravel digging, hummocks and hollows	frequent	
Daucus carota	wild carrot	north bank to Godstow Road	occasional	

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>FLOWERING PLANTS</b> (continued)				
<i>Deschampsia cespitosa</i>	tufted hair-grass	all areas	common	
<i>Eleocharis palustris</i>	common spike-rush	uneven area of gravel digging, hummocks and hollows	locally frequent	
<i>Eleocharis uniglumis</i>	slender spike-rush	uneven area of gravel digging, hummocks and hollows	occasional	
<i>Elodea nuttallii</i>	Nuttall's water weed	Long Pond & Wren's Pond	frequent	
<i>Equisetum palustre</i>	marsh horsetail	uneven area of gravel digging, hummocks and hollows	occasional	
<i>Festuca pratensis</i>	meadow fescue	uneven area of gravel digging, hummocks and hollows	occasional	
<i>Filago vulgaris</i>	common cudweed	north bank to Godstow Road	numerous	Draft Oxon RPR
<i>Galium palustre</i>	marsh bedstraw	Long Pond	occasional	
<i>Galium verum</i>	lady's bedstraw	uneven area of gravel digging, hummocks and hollows	occasional	
<i>Geranium molle</i>	dove's foot cranesbill	north bank to Godstow Road	rare	
<i>Glyceria fluitans</i>	floating sweet-grass	uneven area of gravel digging, hummocks and hollows	locally frequent	
<i>Glyceria maxima</i>	reed sweet grass	Long Pond	locally frequent	
<i>Glyceria notata</i>	plicate sweet grass	uneven area of gravel digging, hummocks and hollows	occasional	
<i>Groenlandia densa</i>	opposite leaved pondweed	channel between Long Pond and Wren's pond	rare	Draft Oxon RPR
<i>Holcus lanatus</i>	yorkshire fog	all areas	occasional	
<i>Hordeum murinum</i>	wall barley	north bank to Godstow Road	rare	
<i>Hordeum secalinum</i>	meadow barley	on mounds between gravel extraction hollows	frequent	
<i>Hypochoeris radicata</i>	cat's ear	uneven area of gravel digging, hummocks and hollows	locally frequent	
<i>Isolepis setacea</i>	bristle club rush	uneven area of gravel digging, hummocks and hollows	rare	Draft Oxon RPR
<i>Juncus articulatus</i>	jointed rush	uneven area of gravel digging, hummocks and hollows	locally frequent	
<i>Juncus bufonius</i>	toad rush	Wren's pond	occasional	

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>FLOWERING PLANTS</b> (continued)				
Juncus compressus	round-fruited rush	uneven area of gravel digging, hummocks and hollows	locally abundant	<b>Nat Red List: Near Threatened, Draft Oxon RPR</b>
Koeleria macrantha	crested hair-grass	uneven area of gravel digging, hummocks and hollows	locally frequent	
Lamium amplexicaule	hen-bit dead-nettle	north bank to Godstow Road	rare	
Lemna minor	lesser duckweed	Long Pond	frequent	
Leontodon autumnalis	autumn hawkbit	gravel digging area	occasional	
Leontodon hispidus	rough hawkbit	uneven area of gravel digging, hummocks and hollows	rare	
Leucanthemum vulgare	oxeye daisy	uneven area of gravel digging, hummocks and hollows	occasional	
Lolium perenne	perennial rye	uneven area of gravel digging, hummocks and hollows	frequent	
Lotus corniculatus	bird's foot trefoil	uneven area of gravel digging, hummocks and hollows	frequent	
Lotus corniculatus	bird's foot trefoil	uneven area of gravel digging, hummocks and hollows	locally frequent	
Luzula campestris	field woodrush	uneven area of gravel digging, hummocks and hollows	locally frequent	
Lysimachia nummularia	creeping jenny	uneven area of gravel digging, hummocks and hollows	occasional	
Malva sylvestris	common mallow	north bank to Godstow Road	rare	
Medicago lupulina	black medick	north bank to Godstow Road	occasional	
Mentha aquatica	water mint	Long Pond	locally frequent	
Odontites verna	red bartsia	north bank to Godstow Road	rare	
Oenanthe fistulosa	tubular water dropwort	wet area N of Long Pond	locally frequent	
Papaver rhoeas	common poppy	north bank to Godstow Road	rare	
Phleum bertolonii	smaller cat's-tail	north bank to Godstow Road	frequent	
Pilosella officinarum	mouse-ear hawkbit	uneven area of gravel digging, hummocks and hollows	rare	
Plantago lanceolata	ribwort plantain	all areas	frequent	
Plantago media	hoary plantain	uneven area of gravel digging, hummocks and hollows	rare	
Poa compressa	flattened meadow grass	north bank to Godstow Road	occasional	

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>FLOWERING PLANTS</b> (continued)				
Potentilla anserina	silverweed	uneven area of gravel digging, hummocks and hollows	locally frequent	
Potentilla reptans	cinquefoil	uneven area of gravel digging, hummocks and hollows	occasional	
Primula veris	cowslip	SE of allotments	one patch 0.4m	
Prunella vulgaris	self-heal	uneven area of gravel digging, hummocks and hollows	occasional	
Ranunculus acris	meadow buttercup	uneven area of gravel digging, hummocks and hollows	frequent	
Ranunculus bulbosus	bulbous buttercup	uneven area of gravel digging, hummocks and hollows	occasional	
Ranunculus repens	creeping buttercup	uneven area of gravel digging, hummocks and hollows	abundant	
Ranunculus sceleratus	celery leaved crowfoot	Long Pond	rare	
Rhinanthus minor	yellow rattle	NW of allotments	very rare	
Rumex acetosa	sorrel	uneven area of gravel digging, hummocks and hollows	frequent	
Rumex hydrolapathum	great water dock	Long Pond	rare	
Sanguisorba officinalis	great burnet	uneven area of gravel digging, hummocks and hollows	very rare	
Sedum acre	biting stonecrop	north bank to Godstow Road	occasional	
Silene latifolia	white campion	north bank to Godstow Road	rare	
Sparganium erectum	branched bur-reed	Long Pond	locally frequent	
Spirodela polyrhiza	greater duckweed	Long Pond	scattered leaves	Draft Oxon RPR
Taraxacum sp. cf anglicum	a dandelion	uneven area of gravel digging, hummocks and hollows	occasional	
Torilis nodosa	knotted hedge parsley	north bank to Godstow Road	numerous	
Trifolium campestre	hop trefoil	north bank to Godstow Road	rare	
Trifolium dubium	lesser yellow trefoil	uneven area of gravel digging, hummocks and hollows	occasional	
Trifolium hybridum	alsike clover	uneven area of gravel digging, hummocks and hollows	very rare	
Trifolium pratense	red clover	scattered over whole area	frequent	
Trifolium repens	white clover	scattered over whole area	frequent	
Valeriana officinalis	common valerian	Long Pond/railway ditch	rare	

Group and scientific name	Common name	Area of meadow	Amount / Nos.	Conservation status
<b>FLOWERING PLANTS</b> (continued)				
Veronica arvensis	wall speedwell	north bank to Godstow Road	rare	
Veronica beccabunga	brooklime	Long Pond	occasional	
Veronica catenata	pink water-speedwell	Long Pond	occasional	
Veronica scutellata	marsh speedwell	Long Pond	rare	Draft Oxon RPR
Vulpia myuros	rat's tail fescue	north bank to Godstow Road	numerous	
Zannichellia palustris	horned pondweed	channel between Long Pond and Wren's pond	extensive growth	Draft Oxon RPR
<b>FUNGI</b>				
Agaricus arvensis	horse mushroom	uneven area of gravel digging, hummocks and hollows	occasional	
Agaricus campestris	field mushroom	uneven area of gravel digging, hummocks and hollows	occasional	
Bolbitius vitellinus	hay cap	near allotments on rotting grass	rare	
Clavulinopsis corniculata	meadow coral	uneven area of gravel digging, hummocks and hollows	rare	
Clitocybe dealbata	ivory funnel	uneven area of gravel digging, hummocks and hollows	occasional	
Coprinus plicatilis	pleated inkcap	uneven area of gravel digging, hummocks and hollows	occasional	
Entoloma sericeum	silky pink-gill	uneven area of gravel digging, hummocks and hollows	occasional	
Hemimycena mairei	a small white bonnet	uneven area of gravel digging, hummocks and hollows	rare	
Hygrocybe virginea	snowy waxcap	uneven area of gravel digging, hummocks and hollows	frequent	
Lepista saeva	field blewit or blue leg	uneven area of gravel digging, hummocks and hollows	occasional	
Lycoperdon lividum	grassland puffball	uneven area of gravel digging, hummocks and hollows	rare	
Panaeolus semiovatus	egghead mottlegill	uneven area of gravel digging, hummocks and hollows	rare	
Stropharia inuncta	smoky roundhead	uneven area of gravel digging, hummocks and hollows	numerous	
Stropharia pseudocyanea	peppery roundhead	uneven area of gravel digging, hummocks and hollows	very rare	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Calliergonella cuspidata</i>	common spear-moss	moss	NW area in wetter gravel-digging hollows	locally frequent	
<i>Brachythecium rutabulum</i>	rough-stalked feather moss	moss	NW area in wetter gravel-digging hollows	very common	
<i>Campyliadelphus chrysophyllus</i>	golden feather-moss	moss	NW drier grassland area	very rare	Very local
<i>Ophioglossum vulgatum</i> ☆	adder's tongue fern	fern	NW drier area	very rare	Very local, old meadows.
<i>Atriplex prostrata</i>	spear-leaved orache	flowering plant	south end, temporary lake area	rare, variable populations	
<i>Achillea millefolium</i>	yarrow	flowering plant	northern areas	locally frequent	
<i>Agrostis capillaris</i>	common bent	flowering plant	NW drier grassland area nearest weir	locally frequent	
<i>Agrostis stolonifera</i>	creeping bent	flowering plant	South meadow area SE of Round Hill	frequent	
<i>Alisma plantago-aquatica</i>	water plantain	flowering plant	Burgess Field ditch	occasional	
<i>Allium</i> sp. vegetative only	an onion	flowering plant	NW drier area	rare	
<i>Alopecurus geniculatus</i>	marsh foxtail	flowering plant	south part of meadow, lowest & wettest area	occasional	
<i>Anthoxanthum odoratum</i>	sweet vernal grass	flowering plant	northern area	frequent	
<i>Aphanes arvensis</i> agg.	parsley piert	flowering plant	northern end near river	rare	
<i>Apium repens</i> ☆	creeping marshwort	flowering plant	mostly southern end, ex lake area	variable populations from year to year	© See note below

© *Draft Oxon RPR, National Red Data List: Vulnerable, UKBAP* (NERC Act 2006, Section 41) species. Listed in Annex 2 and 4 of EC Habitats Directive. On Appendix I of the *Bern Convention*. Schedule 5 of The Conservation of Habitats and Species Regulations 2010. On Schedule 8 of the *Wildlife and Countryside Act 1981*. Endangered in Europe. Only two UK current sites, of which this is one.

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Arenaria serpyllifolia</i>	thyme-leaved sandwort	flowering plant	NW drier grassland area nearest weir	rare	
<i>Bellis perennis</i>	common daisy	flowering plant	northern areas	occasional	
<i>Bidens tripartita</i>	trifid bur-marigold	flowering plant	south end, temporary lake area	rare	
<i>Briza media</i>	quaking grass	flowering plant	NW drier grassland area nearest weir	locally frequent	
<i>Butomus umbellatus</i> ☆	flowering rush	flowering plant	in southern flood edge of temporary lake	occasional	Draft RPR
<i>Callitriche</i> sp	water starwort	flowering plant	Shiplake ditch & ditch next to Burgess Field	frequent	
<i>Capsella bursa pastoris</i>	shepherd's purse	flowering plant	bank of River Thames, northern end of site	occasional	
<i>Cardamine pratensis</i>	cuckoo flower	flowering plant	northern and middle areas	occasional	
<i>Carduus nutans</i>	musk thistle	flowering plant	northern areas	occasional	
<i>Carex caryophylla</i> ☆	spring sedge	flowering plant	NW drier area	common to abundant	local
<i>Carex flacca</i>	glaucous sedge	flowering plant	NW drier grassland area nearest weir	frequent	
<i>Carex hirta</i>	hairy sedge	flowering plant	middle to southern section of meadow	occasional	
<i>Carex nigra</i>	black sedge	flowering plant	middle, near winterbourne stream	occasional	
<i>Carex otrubae</i>	false fox sedge	flowering plant	Burgess Field ditch	one clump	
<i>Carex spicata</i>	spiked sedge	flowering plant	East side edge of causeway next to Burgess Field	rare	
<i>Centaurea nigra</i>	black knapweed	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Cerastium fontanum</i>	mouse-ear	flowering plant	northern areas	frequent	
<i>Chenopodium album</i>	fat hen	flowering plant	south end, temporary lake area	occasional	
<i>Chenopodium rubrum</i>	red goosefoot	flowering plant	south end of meadow, edge of ex- temporary lake	frequent	
<i>Cirsium acaule</i>	dwarf thistle	flowering plant	NW drier grassland area nearest weir	rare	
<i>Cirsium arvense</i>	meadow thistle	flowering plant	NW drier area	frequent	
<i>Cirsium eriophorum</i> ☆	woolly thistle	flowering plant	northern areas	occasional	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Cirsium vulgare</i>	spear thistle	flowering plant	northern areas	rare	
<i>Coronopus squamatus</i>	swine-cress	flowering plant	west side, bare areas on Thames bank	rare	
<i>Crepis biennis</i>	rough hawksbeard	flowering plant	northern drier area by cattle pound	rare	
<i>Crepis capillaris</i>	smooth hawk's beard	flowering plant	northern areas	occasional	
<i>Cynosurus cristatus</i>	crested dog's tail	flowering plant	NW drier grassland area nearest weir	frequent	
<i>Dactylis glomerata</i>	cock's-foot grass	flowering plant	northern areas	locally frequent	
<i>Deschampsia cespitosa</i>	tufted hair grass	flowering plant	southern moist pasture/marsh	occasional	
<i>Eleocharis palustris</i>	common spike-rush	flowering plant	southern moist pasture/marsh	abundant	
<i>Eleocharis uniglumis</i> ☆	slender spike-rush	flowering plant	South meadow area SE of Round Hill	occasional	Draft Oxon RPR
<i>Equisetum palustre</i>	marsh horsetail	flowering plant	east side near Burgess Field	rare	
<i>Festuca pratensis</i>	meadow fescue	flowering plant	northern and middle areas	occasional	
<i>Festuca rubra</i>	red fescue	flowering plant	northern and middle section of meadow	frequent	
<i>Filipendula ulmaria</i>	meadowsweet	flowering plant	NW drier area, damp hollow	occasional	
<i>Galium palustre</i>	marsh bedstraw	flowering plant	south end of Port Meadow near temporary lake area	occasional	
<i>Galium verum</i>	lady's bedstraw	flowering plant	NW drier grassland area nearest weir	locally frequent	
<i>Geranium molle</i>	dove's foot crane's-bill	flowering plant	NW drier grassland area	occasional	
<i>Glyceria fluitans</i>	floating sweet-grass	flowering plant	southern moist pasture/marsh	locally frequent	
<i>Glyceria maxima</i>	reed sweet-grass	flowering plant	ditch to edge of Burgess Field	locally frequent	
<i>Glyceria notata</i>	plicate sweet-grass	flowering plant	Shiplake ditch	occasional	
<i>Gnaphalium uliginosum</i>	marsh cudweed	flowering plant	south end of meadow near temporary lake area	occasional	
<i>Holcus lanatus</i>	yorkshire fog	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Hordeum secalinum</i>	meadow barley	flowering plant	northern areas	locally frequent	

Key: species of conservation importance☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Hypochoeris radicata</i>	cat's-ear	flowering plant	NW drier grassland area	frequent	
<i>Juncus articulatus</i>	jointed rush	flowering plant	southern moist pasture/marsh	frequent	
<i>Juncus bufonius</i>	toad rush	flowering plant	south part of meadow, lowest & wettest area	locally frequent	
<i>Juncus compressus</i> ☆	round-fruited rush	flowering plant	middle section of meadow, east side	locally frequent	Nat Red List: Near Threatened, Draft Oxon RPR.
<i>Koeleria macrantha</i>	crested hair-grass	flowering plant	NW drier grassland area nearest weir	locally frequent	
<i>Lathyrus pratensis</i>	meadow vetchling	flowering plant	northern area, east side	rare	
<i>Lemna minor</i>	lesser duckweed	flowering plant	Shiplake ditch	frequent	
<i>Leontodon autumnalis</i>	autumn hawkbit	flowering plant	NW drier grassland area nearest weir	rare	
<i>Leontodon hispidus</i>	rough hawkbit	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Leucanthemum vulgare</i>	oxeye daisy	flowering plant	NW drier grassland area nearest weir	rare	
<i>Limosella aquatica</i>	mudwort	flowering plant	south part of meadow, lowest & wettest area	rare	Nat Red List: Scarce, Draft Oxon RPR.
<i>Lolium perenne</i>	perennial rye grass	flowering plant	northern and middle section of meadow	frequent	
<i>Lotus corniculatus</i> ☆	bird's foot trefoil	flowering plant	NW drier grassland area	frequent	
<i>Luzula campestris</i>	field woodrush	flowering plant	NW drier area	locally abundant	
<i>Lycopersicum esculentum</i>	tomato	flowering plant	south end, ex lake zone	rare	
<i>Lysimachia nummularia</i>	creeping jenny	flowering plant	south end of Port Meadow near temporary lake area	occasional	
<i>Lysimachia vulgaris</i>	yellow loosestrife	flowering plant	ditch at east border with Burgess Field	rare	
<i>Lythrum salicaria</i>	purple loosestrife	flowering plant	edge of river	few small plants	
<i>Matricaria chamomilla</i>	scented mayweed	flowering plant	south end, ex lake zone	rare	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Matricaria discoidea</i>	pineapple weed	flowering plant	south end of Port Meadow near temporary lake area	occasional	
<i>Medicago lupulina</i>	black medick	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Mentha aquatica</i>	water mint	flowering plant	southern moist pasture/marsh	frequent	
<i>Myosotis scorpioides</i>	water forget-me-not	flowering plant	southern moist pasture/marsh	frequent	
<i>Myosoton aquaticum</i>	water chickweed	flowering plant	ditch adjacent to Burgess Field	occasional	
<i>Myriophyllum spicatum</i>	spiked water milfoil	flowering plant	west side, banks of river Thames, dead, washed up on strandline	numerous	
<i>Nasturtium officinale</i>	water-cress	flowering plant	Shiplake ditch	frequent	
<i>Odontites verna</i>	red bartsia	flowering plant	NW drier grassland area nearest weir	rare	
<i>Oenanthe fistulosa</i> ☆	tubular water-dropwort	flowering plant	southern end moist pasture/marsh	occasional	UK BAP (NERC Act 2006, section 41 sp.), Nat Red List: Vulnerable, Draft Oxon RPR.
<i>Persicaria amphibia</i>	amphibious bistort	flowering plant	south end of Port Meadow near temporary lake area	rare	
<i>Persicaria maculosa</i>	redshank	flowering plant	south part of meadow, lowest & wettest area	locally frequent	
<i>Phleum bertolonii</i>	smaller cat's-tail	flowering plant	northern drier areas	locally frequent	
<i>Pilosella officinarum</i>	mouse ear hawkweed	flowering plant	NW drier grassland area	1 plant	
<i>Plantago lanceolata</i>	ribwort plantain	flowering plant	northern and middle section of meadow	abundant	
<i>Plantago major</i>	rat's tail plantain	flowering plant	south end of meadow, west side of ex temporary lake	frequent	
<i>Plantago media</i>	hoary plantain	flowering plant	NW drier grassland area nearest weir	rare	
<i>Poa annua</i>	annual meadow grass	flowering plant	northern section	occasional	
<i>Polygonum aviculare</i>	knotgrass	flowering plant	south part of meadow, lowest & wettest area	occasional	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Potentilla anserina</i>	silverweed	flowering plant	south part of meadow, lowest & wettest area	locally frequent	
<i>Potentilla reptans</i>	cinquefoil	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Poterium sanguisorba</i>	salad burnet	flowering plant	NW drier grassland area	very rare	
<i>Primula veris</i>	cowslip	flowering plant	northern area, east side	very rare	
<i>Prunella vulgaris</i>	self heal	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Ranunculus acris</i>	meadow buttercup	flowering plant	northern and middle meadow areas	frequent	
<i>Ranunculus bulbosus</i>	bulbous buttercup	flowering plant	NW drier grassland area	frequent	
<i>Ranunculus flammula</i>	lesser spearwort	flowering plant	south end of Port Meadow near temporary lake area	occasional	
<i>Ranunculus repens</i>	creeping buttercup	flowering plant	south part of meadow, lowest & wettest area	rare	
<i>Ranunculus sceleratus</i>	celery-leaved crowfoot	flowering plant	south end, in temporary lake area	rare	
<i>Ranunculus</i> sect. <i>Batrachium</i>	a water crowfoot	flowering plant	ditch port meadow side adjacent Burgess Field	occasional	
<i>Rhinanthus minor</i>	yellow rattle	flowering plant	NW drier grassland area nearest weir	very rare	
<i>Rorippa amphibia</i>	great yellow cress	flowering plant	Burgess Field ditch	rare	
<i>Rorippa palustris</i>	marsh yellow cress	flowering plant	south end, in temporary lake area	occasional	
<i>Rumex acetosa</i>	sorrel	flowering plant	NW drier grassland area nearest weir	occasional	
<i>Rumex conglomeratus</i>	clustered dock	flowering plant	south part of meadow	occasional	
<i>Sanguisorba officinalis</i>	great burnet	flowering plant	NW drier area	rare	Local
<i>Scrophularia aquatica</i>	water figwort	flowering plant	earth and gravel bank to River Thames	rare	
<i>Senecio jacobaea</i>	ragwort	flowering plant	northern areas	occasional	
<i>Setaria pumila</i>	yellow bristle grass	flowering plant	south end, ex lake zone	very rare	
<i>Solanum nigrum</i>	black nightshade	flowering plant	south end, ex lake zone	one patch	

Key: species of conservation importance☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Sparganium erectum</i>	branched bur-reed	flowering plant	ditch to edge of Burgess Field	occasional	
<i>Stachys palustris</i>	marsh woundwort	flowering plant	south end, ex lake zone	very rare	
<i>Stellaria graminea</i>	lesser stitchwort	flowering plant	middle of meadow	locally frequent	
<i>Stellaria media</i>	common chickweed	flowering plant	south end of Port Meadow near temporary lake	rare	
<i>Succisa pratensis</i>	devil's bit scabious	flowering plant	north western drier section	very rare	
<i>Taraxacum officinale</i> agg	dandelion	flowering plant	north and middle areas	occasional	
<i>Torilis nodosa</i>	knotted hedge parsley	flowering plant	NW drier grassland area nearest weir	rare	Draft Oxon RPR
<i>Tragopogon pratense</i>	goat beard	flowering plant	NW drier area	very rare	
<i>Trifolium dubium</i>	lesser yellow trefoil	flowering plant	northern area	locally frequent	
<i>Trifolium fragiferum</i> ☆	strawberry clover	flowering plant	South meadow area SE of Round Hill	frequent	Draft Oxon RPR
<i>Trifolium pratense</i>	red clover	flowering plant	NW drier area	frequent	
<i>Trifolium repens</i>	white clover	flowering plant	northern and middle areas	frequent	
<i>Triglochin palustre</i> ☆	marsh arrowgrass	flowering plant	south end of Port Meadow near temporary lake area	locally frequent	Draft Oxon RPR
<i>Tripleurospermum inodorum</i>	scentless mayweed	flowering plant	south end, ex lake zone	rare	
<i>Trisetum flavescens</i>	yellow oat grass	flowering plant	NW drier grassland area nearest weir	frequent	
<i>Urtica dioica</i>	common nettle	flowering plant	south end of Port Meadow in temp. lake area	rare	
<i>Veronica arvensis</i>	wall speedwell	flowering plant	west side nr river bank	rare	
<i>Veronica beccabunga</i>	brooklime	flowering plant	south end of Port Meadow near temporary lake area	occasional	
<i>Veronica catenata</i>	pink water speedwell	flowering plant	south end of Port Meadow in temporary lake area	rare	
<i>Vicia cracca</i>	tufted vetch	flowering plant	NW drier grassland area nearest weir	rare	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
Agaricus arvensis	horse mushroom	fungus	northern end of meadow	occasional	
Agaricus campestris	field mushroom	fungus	northern end of meadow	rare	
Bolbitius vitellinus	hay cap	fungus	NW drier grassland area nearest weir	occasional	
Bovista plumbea ☆	lead grey puffball	fungus	north western drier section	occasional	
Bulbillomyces farinosus	an encrusting fungus	fungus	Underside log in dry ditch adjacent to Burgess Field	rare	
Clavaria cf. acuta	white club	fungus	NW drier grassland area nearest weir	rare	uncommon in Oxon
Clavaria fumosa	smoky spindles	fungus	NW drier grassland area nearest weir	rare	uncommon in Oxon
Clavulinopsis corniculata ☆	meadow coral	fungus	north western drier section	rare	uncommon in Oxon
Clavulinopsis helvola ☆	yellow club	fungus	NW drier grassland area nearest weir	rare	uncommon in Oxon
Clavulinopsis sp. cf. luteoalba	apricot club (pale yellow)	fungus	north western drier section	rare	uncommon in Oxon
Clitocybe dealbata	ivory funnel	fungus	NW drier grassland area nearest weir	occasional	
Coprinus plicatilis	pleated inkcap	fungus	NW drier grassland area nearest weir	occasional	
Coprobria granulata	yellow clusters on dung	fungus	northern end of meadow, on dung	occasional	
Cristinia eichleri	yellow-brown encrusting fungus	fungus	Underside log in ditch at east border with Burgess Field	rare	nationally uncommon
Entoloma cf. asprellum/lividocyanulum	a pink-gill, lilac stipe	fungus	NW drier grassland area nearest weir	rare	uncommon in Oxon
Entoloma conferendum	star pink-gill	fungus	NW drier grassland area nearest weir	rare	

☆ indicates photo is available in *Port Meadow Photographs*

Scientific name	Common name	Group	Region of meadow	Amount / Nos. on site	Conservation status
<i>Entoloma sericeum</i>	silky pink-gill	fungus	NW drier grassland area nearest weir	numerous	
<i>Hemimycena mairei</i>	a small white bonnet	fungus	north western drier section	occasional	
<i>Hygrocybe virginea</i>	snowy waxcap	fungus	NW drier grassland area nearest weir	occasional	
<i>Hygrocybe colemanniana</i> ☆	toasted waxcap	fungus	NW drier grassland area nearest weir	occasional	rare in Oxon, chalk grasslands.
<i>Hygrocybe psittacina</i> ☆	parrot waxcap	fungus	NW drier grassland area nearest weir	occasional	
<i>Hygrocybe quieta</i> ☆	oily waxcap	fungus	NW drier grassland area nearest weir	occasional	uncommon in Oxon
<i>Hygrocybe russocoriacea</i>	cedarwood waxcap	fungus	NW drier grassland area nearest weir	very rare	
<i>Hygrocybe virginea</i>	snowy waxcap	fungus	northern end of meadow	frequent	
<i>Lepista cf. sordida</i> ☆	a blewit	fungus	NW drier grassland area nearest weir	rare	
<i>Lepista panaeolus (luscina)</i> ☆	a blewit	fungus	north western drier section	rare	uncommon in Oxon
<i>Lepista saeva</i> ☆	field blewit or blue leg	fungus	NW drier grassland area nearest weir	occasional	
<i>Mycena aetites</i>	drab bonnet	fungus	NW drier grassland area nearest weir	rare	
<i>Pilobolus</i> sp	a dung cannon fungus	fungus	northern end of meadow on dung	occasional	
<i>Psilocybe coprophila</i> ☆	dung-loving psilocybe	fungus	NW drier grassland area on dung	occasional	
<i>Psilocybe merdaria</i>	a dung brownie fungus	fungus	northern end of meadow on dung	occasional	
<i>Steccherinum fimbriatum</i>	an encrusting fungus	fungus	Underside log nr ditch adjacent to Burgess Field	rare	
<i>Stropharia caerulea</i> ☆	blue roundhead	fungus	north western drier section	rare	
<i>Stropharia inuncta</i>	smoky round head	fungus	NW drier grassland area nearest weir	numerous	