Background paper 008

Carbon reduction and climate resilient design

This paper addresses carbon reduction in new development and how the Local
Plan will support the city's transition to net zero carbon. The paper also
addresses climate resilient design and adapting the built environment to the
changing climate of the future.
Relevant Local Plan Objective(s):
Ensure Oxford is ready for a net zero carbon future.
Be resilient and adaptable to climate change and resistant to flood risk and its
impacts on people and property.
Relevant SA Objective(s):
1. To achieve the city's ambition to reach net zero carbon emissions by 2040.
2. To build resilience to climate change, including reducing risks from overheating,
flooding and the resulting detriment to well-being, the economy and the environment. SEA theme(s): Climatic Factors, Air
SLA meme(s). Chimatic Factors, All
1. Introduction
2. Policy Framework/Plans, Policies, Programmes (supporting Task A1 of
Sustainability Appraisal)
Other relevant plans/programmes/strategies6
3. Current situation (supporting Task A2 and A3 of Sustainability Appraisal)7
Primary sources of greenhouse gas emissions in the city7
Carbon emissions associated with buildings in operation9
Embodied carbon emissions during construction9
Energy supply and grid capacity11
Fuel poverty 12
Climate change risk and the need for adaptation13
4. Likely trends without a new Local Plan (supporting Task A2 and A3 of Sustainability Appraisal)
5. Options for Local Plan 2042 policies
Policy options set 008a (draft policy R1): Net zero carbon buildings in operation 17

Policy options set 008c (draft policy R3): Retrofitting existing buildings including heritage assets	•
Policy options set 008d (draft policy G9): Resilient design and construction	
6. Conclusions including preferred approaches for Local Plan 2042	35
6.1. Preferred approaches for the Local Plan 2042	36

1. Introduction

- 1.1 The Council has a legal duty, as set out in Section 19(1A) of the Planning and Compulsory Purchase Act 2004, to ensure that the new Local Plan includes policies that, taken as a whole, have been designed to secure action on climate change. This is reflected in national policy, which sets out that the planning system should help to: 'shape places in ways that contribute to radical reductions in greenhouse gas emissions', and that Local Plans should take a proactive approach to mitigating climate change. In recognition of the need to take action on climate change, the Council <u>declared a climate emergency</u> in 2019 and has committed to achieving net zero carbon emissions as a city by 2040.
- 1.2 Alongside the transport network, the built environment is a primary contributor to Oxford's carbon dioxide emissions, a potent greenhouse gas which is causing global climate change. The power used to heat and operate buildings, as well as the resources used within the construction process, all have a role in these emissions. In order to meet national and local commitments on mitigating climate change, it is essential that new development being built in the city is designed for a net zero carbon future, and that existing development is retrofitted to reduce its carbon footprint. It is also important that new development is designed to be resilient to the impacts of the changing climate e.g. flood risk and overheating which could be more common in future.
- 1.3 This background paper firstly sets out key context in the form of existing policy analysis, current situation in the city and the likely situation without a new Local Plan. It then goes on to discuss the key topics and options for policies that will need to be considered in the preparation of the Local Plan 2042.

2. Policy Framework/Plans, Policies, Programmes (supporting Task A1 of Sustainability Appraisal)

Climate Change Act 2008

- 2.1 This legislation sets statutory targets for reducing national carbon dioxide emissions below 1990 levels at intervals up to 2050. The targets set out in the Act have been amended since to reflect updated goals for climate mitigation, such as in response to the Paris Agreement, most recently setting out a target of net zero emissions by the year 2050 (100% reduction in emissions over 1990 levels).
- 2.2 Under the Act, the government is required to set five-year caps on emissions (known as carbon budgets) twelve years in advance and publish its proposals and policies for meeting these budgets. Most recently, the sixth carbon budget enshrined a target of 78% reduction in carbon emissions for the period from 2033 to 2037, whilst the seventh carbon budget is expected to be set in 2025.

Planning and Compulsory Purchase Act 2004

2.3 Sets out the current structure for the English Local Planning framework and includes, within section 19 (as amended by the Planning Act 2008), the legal duty to ensure that, taken as a whole, planning policies contribute to climate change mitigation and adaptation.

Planning and Energy Act 2008

2.4 The Planning and Energy Act (2008) makes provision within Section 1 for a local planning authority to include policies within its development plan that require development in their area to comply with energy efficiency standards that exceed the energy requirements of building regulations, provided these policies are reasonable, not inconsistent with national policies, and compliant with usual provisions around plan making as set out in section 19 of the Planning and Compulsory Purchase Act 2004.

National Planning Policy Framework (NPPF) (revised 2024)

- 2.5 Chapter 14 of the NPPF sets out the government's requirements for how the planning system should address the challenge of climate change, particularly paragraphs 161 to 169. For the first time, the updated wording in para 161 that opens the chapter now explicitly references the transition to net zero by 2050, stating that: The planning system should support the transition to net zero by 2050 and take full account of all climate impacts including overheating, water scarcity, storm and flood risks and coastal change. It goes on to flag the need for shaping places in ways that contribute to radical reductions in greenhouse gas emissions, minimise vulnerability and improve resilience; encourage the reuse of existing resources, and conversion of existing buildings; and support renewable and low carbon energy and associated infrastructure.
- 2.6 Para 162 sets out that plans should take a proactive approach to mitigating and adapting to climate change, footnote 53 clarifies that this should be in line with the objectives and provisions of the Climate Change Act 2008, which legislates for net zero carbon emissions by 2050. Para 164 (b) discusses the need for planning development in ways that help reduce greenhouse gas emissions, such as through its location, orientation and design.
- 2.7 Paras 165 flags the importance of securing energy from renewable sources and the role of plans in helping to enable this. In particular, it sets out the need for providing a positive strategy for energy from these sources; considering identifying suitable areas for renewable and low carbon energy and supporting infrastructure; and identifying opportunities for development to draw energy from such sources. Para 167 also highlights that significant weight should be given to the need to support energy efficiency and low carbon heating improvements to existing buildings.

National Planning Practice Guidance (PPG) including National Design Guide/Model Design Code

- 2.8 National guidance supporting planning policy is set out on the Planning Practice Guidance <u>climate change webpage</u>, although much of this now dates back to 2019 or earlier (with some sections dating to 2015). Whilst some of the guidance, including key legislation planners should take into account and general advice on climate change mitigation measures that could be applied through planning process are still of relevance, other sections appear to have been overtaken by recent policy developments (such as guidance around the 2015 Ministerial Statement as discussed below).
- 2.9 The National Design Guide (2019) which now forms part of the PPG includes guidance on what government considers to be 'good design' and breaks design down into 10 key topics. There is a section on "Resources" which sets out that "well-designed places and buildings follow the energy hierarchy" as well as containing some other general design guidance which can help local authorities with preparing more locally specific design guidelines.

Written Ministerial Statements on Plan Making (2015 and 2023)

- 2.10 There are two WMSs that have been published since the above legislation which have some relevance to the topic of energy and carbon, but also serve to confuse policy and local authorities' powers.
 - The first, published in 2015, set out the expectation that local authorities should not set energy efficiency standards with requirements above the equivalent to level 4 within the withdrawn Code for Sustainable Homes. It should be noted that an update to Building Regulations during that same year meant that they had already superseded the old Code for Sustainable Homes standard.
 - The more recent WMS, published in December 2023, indicates that Local Authorities cannot set their own targets based on actual energy use in buildings and dissuades them from going beyond national standards. It sets out that "Any planning policies that propose local energy efficiency standards for buildings that go beyond current or planned building regulations should be rejected at examination if they do not have a well-reasoned and robustly costed rational..." Where policies are proposed that do go beyond national standards, the WMS sets out that these should be supported by viability evidence that shows development would remain viable, with a focus on housing affordability and supply. It also states that such policies should be expressed as a percentage uplift of a dwelling's Target Emission Rate (TER) calculated using the Standard Assessment Procedure (SAP) of Building Regulations.

Oxford Local Plan 2036

2.11 Policy RE1: Sustainable design and construction sets out the Council's expectations regarding carbon emissions in new development. The policy requires new development to achieve reductions in carbon emitted beyond those set out in national Building

Regulations. The targets are increased at intervals throughout the plan period, beginning at 40% reduction, before moving to 50% by 31 March 2026, and then zero carbon after 2030 (for residential development).

- 2.12 Other policies in the adopted Local Plan that have a role in contributing to reductions in carbon emissions in the city, include:
 - Policies that encourage and enable sustainable/active travel and the transition to electric vehicles (policies M1 to M5),
 - Policies relating to protecting and enhancing Oxford's green and blue infrastructure network (policies G1 to G8).

Other relevant plans/programmes/strategies

Oxford's climate emergency declaration and the Zero Carbon Oxfordshire Partnership (ZCOP)

- 2.13 In January 2019, Oxford City Council members unanimously declared a climate emergency and agreed to create a citizens assembly in Oxford to help consider new carbon targets and additional measures to reduce emissions. This was followed in February 2021, by signing the Zero Carbon Oxford Charter, and the creation of a new Zero Carbon Oxford Partnership (ZCOP) for the city along with the setting of a local target of achieving net zero carbon emissions as a city by 2040 (ten years ahead of the UK net zero carbon target). The partnership is currently in the process of expanding to incorporate the rest of the county and will be known as the Zero Carbon Oxfordshire Partnership.
- 2.14 The ZCOP has previously developed a <u>Roadmap and Action Plan</u> (published 2021) for the city which identifies the primary sources of carbon emissions in city at present and the key milestones that are needed in relation to decarbonising different aspects of life in Oxford in order to meet the net zero target of 2040. The roadmap highlights the large-scale changes and the challenging nature of the transition to full decarbonisation which is needed across various sectors, such as expansive retro-fit of existing buildings to decarbonise heating and increase fabric efficiencies, large amount of micro-renewable installation on rooftops to increase clean energy generation as well as ongoing increases in EV charging infrastructure to support decarbonisation of transport.

Future Homes/Buildings Standard – Building Regulations reforms

2.15 Outside of the planning system, a review of national Building Regulations has also been ongoing with staged plans to implement the Future Homes Standard (dealing with residential development) and Future Buildings Standards (non-residential development). These reforms to the technical requirements within Building Regulations are intended to deliver higher standards of energy efficiency and carbon reduction across all new buildings through Building Control process. The first stage of these reforms came into effect in 2022 and was presented as an interim uplift to Building Regulations that would result in homes producing 31% less CO2 emissions compared to current standards. It also

included updates to other technical standards such as on ventilation, the performance gap, overheating and EV charging.

2.16 Further changes, expected in 2025, will result in new homes producing at least 75% lower CO2 emissions than those built to previous Building Regulations standards, as well as being 'zero carbon ready'. This means that, even if the new buildings are still emitting some emissions, these should reduce to zero over time (e.g. with the continued decarbonising of the energy supply sourced from the national grid as fossil fuels are phased out of the system). The reforms only affect the performance standards of buildings that are addressed by Building Control (e.g. regulated energy systems), meaning the current proposals would not deliver full net zero development, nor address embodied carbon/energy.

Oxfordshire Climate Vulnerability Assessment (2024)

2.17 The County Council have produced a climate risk vulnerability assessment for the county which identifies how climate change could impact various sectors within Oxfordshire. The assessment identifies the city as being an area with increased climate risk to hazards such as overheating and flooding, both now and in the future.

3. Current situation (supporting Task A2 and A3 of Sustainability Appraisal)

Primary sources of greenhouse gas emissions in the city

3.1 Analysis of the greenhouse gas emissions that are generated across the city is challenging with varying estimates depending upon the methodology and data sources used. The Department for Energy Security and Net Zero (formerly BEIS) publish <u>statistics</u> on per capita emissions yearly and these show an overall trend of reducing per capita emissions for Oxford since 2005, as can be seen in Figure 3.1.



Figure 3.1 - Per capita emissions of carbon dioxide (tCO2 equivalent) for Oxford according to Local Authority Greenhouse Gas Emissions statistics (2005-2022) Sourced from the <u>Department for Energy Security and Net Zero</u> <u>statistical release</u> (June, 2024)

- 3.2 The underlying summary accompanying the statistics above highlights that the national pattern in declining emissions, which the city's own performance tracks with, has largely been due to reductions in emissions from power stations and industrial combustion. The reduction from power stations is driven by change in the fuel mix used for electricity generation with a large reduction in the amount of coal, which is a carbon intensive fuel, and increasing use of renewables. A small increase in emissions was noted in 2021 for the majority of Local Authorities, including Oxford, due to COVID-19 restrictions easing and colder temperatures in that year increasing the use of heating in buildings. For the most recent statistical release (2022), per capita emissions for the city had decreased in line with much of the rest of the country. The national decrease in emissions associated with 2022 was attributed largely to milder weather reducing heating demands and potentially the impact of higher energy prices.
- 3.3 The Zero Carbon Oxford Partnership's <u>Roadmap and Action Plan</u> (2021) identified the key sources of emissions in Oxford as part of its work in defining a roadmap to net zero by 2040. This was an assessment of all greenhouse gas emissions across the city (not just carbon, as is highlighted in the government data above) and drew upon data from both BEIS and from the SCATTER cities tool as well as local sources, to produce a sector-by-sector breakdown of emissions in the city. Whilst the baseline data informing the analysis is now a few years old (2018 was the baseline year), the sector-by-sector profile as shown in Figure 3.2 clearly highlights the major impact of the built environment on emissions, with buildings being the primary source of emissions resulting from the city, and this is not

considered likely to have changed in the intervening period. Transport was the second largest contributor though this is a much smaller proportion of emissions as a whole.



Figure 3.2 - Sector-by-sector greenhouse gas emissions in Oxford (2018 baseline year as used in the Zero Carbon Oxford Partnership Action Plan)

Carbon emissions associated with buildings in operation

- 3.4 As the ZCOP work notes, the primary reason for the major contribution buildings are making to Oxford's carbon footprint is the use of fossil fuels for heating. However, other sources within buildings include gas used for cooking, as well as emissions associated with electricity use (where this is not sourced from renewables). The majority of the emissions associated with buildings are from buildings that are already in existence. This flags a significant need for retro-fitting to happen alongside ensuring that new development does not exacerbate the problem.
- 3.5 The Building Regulations reforms embodied through the Future Homes and Future Buildings Standards (as discussed in section 2) should help to ensure new buildings make a much smaller contribution to this existing carbon footprint. Until grid energy is decarbonised, however, where these buildings rely on power from the national grid for their operation then there will still be some associated emissions from them without applying further standards via local policy.

Embodied carbon emissions during construction

3.6 The carbon associated with buildings in operation is not the only source of emissions that need to be addressed as the city moves towards net zero carbon by 2040. There is an embodied carbon cost of the materials used in the built environment in the construction,

maintenance, redevelopment and demolition processes. Carbon dioxide can be emitted in various ways as part of the processes but equally, carbon can be sequestered through careful design choices (e.g. use of natural materials like wood). As operational energy becomes zero carbon, the embodied carbon cost of new development will become the primary source of emissions that needs to be addressed and this will be a growing area of focus in future years.

3.7 Addressing the issue of embodied carbon is closely tied with the concept of a circular economy (Figure 3.3). The Low Energy Transformation Initiative (LETI), in its Embodied Carbon Primer, define the circular economy as a system that is 'restorative or regenerative by intention and design'. In this regard, products, buildings and systems are designed in a way that considers not only how these can be repaired and reused easily, but also how the energy and materials used to construct them can be remanufactured and recycled at the end of their life. This approach enables reductions in the raw materials we extract from the environment over time, our energy demands and the impacts we have upon the wider environment, and by extension, carbon emissions associated with the construction process.



Figure 3.3 - The stages of a linear economy versus a circular economy (source: LETI Embodied Carbon Primer)

- 3.8 But embodied carbon is an even more challenging and complex aspect of net zero carbon design to address than operational carbon. There is much ongoing research and emerging guidance with varying levels of understanding at present in relation to the different stages of a building's life cycle. As UKGBC <u>note</u>, most of these embodied emissions occur early during the construction stage and this is typically the focus at present. Perhaps reflecting the emerging nature of this topic, it is not currently addressed through a consistent set of national standards, though this is something that has been repeatedly called for through an amendment to Building Regulations as highlighted in this recent <u>House of Commons Committee report</u>.
- 3.9 The emerging nature of our understanding of the topic and how to effectively address it makes formulating policy challenging, particularly because there are many difficult

questions that the development management process must grapple with when considering embodied carbon and how it is balanced with other place-making objectives, and there are not always definitive answers. For example:

- Is it more sustainable to retain an energy inefficient building or demolish to provide a highly energy efficient replacement?
- How should we balance out the benefits of long-life materials that may have a high carbon cost to produce, as opposed to shorter lived materials which will need replacement more quickly but have a low carbon cost to produce?
- How do we balance out issues of carbon reduction alongside other important choices in delivering high-quality design that contributes to making the places we wish to see in Oxford?

Energy supply and grid capacity

- 3.10 Across the UK, there are national trends in new sustainable technologies which are of increasing popularity and that also form important context to the new Local Plan policies. The uptake in electric vehicles has been growing, leading to increased demand for EV charging infrastructure. Equally, we are seeing increasing uptake in electric solutions for heating our properties instead of fossil fuel burning boilers, such as Air Source Heat Pumps. The uptake in these technologies is likely to continue and most likely speed up and will result in increasing demands for electricity and increased pressure on the national and local energy grid infrastructure.
- 3.11 The Oxfordshire Energy Strategy (2018) and associated delivery plan (2019), supported by the Stage 1 work of the Oxfordshire Infrastructure Strategy (OXIS) commissioned by the Oxfordshire local authorities, previously identified that the electricity grid across the county is already constrained. The OXIS work concluded that annual electricity consumption across the county to 2040 is expected to increase due to three reasons: continued increase in the number of domestic and non-domestic buildings; the transition to electric vehicles; and the decarbonisation of heat. These factors will not only increase annual consumption but will also increase peak demand and will necessitate ongoing work by the Distribution Network Operators to meet future demands through upgrades and reinforcing of the grid so that constraints can be reduced and additional generation capacity (e.g. solar PV) incorporated. Whilst this work is some years old now, the highlevel messages about future needs are unlikely to have changed, though there is emerging work such as Local Area Energy Planning across the County and an updated OXIS emerging which may update this picture in due course.
- 3.12 Looking beyond Oxford, the current Government has recently published an action plan for meeting a target of securing a clean power grid by 2030 (in advance of the previous 2035 commitment) as it seeks to ensure that the majority of the country's energy demand is generated by clean, renewable sources, backed up with gas only during generation shortfalls. National decarbonisation actions to date have already supported reducing per capita emissions in the city, which is likely to continue, however, it seems reasonable to hold a 2030 or 2035 net zero target with some caution. Recent assessments have

highlighted that the pace and lack of investment to date has put targets for decarbonisation of grid in doubt, for example, the Climate Change Committee <u>flagged</u> multiple uncertainties based on lack of strategy and direction for rollout of renewable energy generation. In their most recent <u>2024 report to parliament</u>, they continue to note that pace of delivery in rollout of renewable energy capacity needs to increase radically if net zero targets are to be achieved. A new 2030 clean power target suggests this required increase in pace is even more pressing.

Fuel poverty

- 3.13 The <u>Oxfordshire Joint Strategic Needs Assessment</u> (JSNA) defines a household as being in fuel poverty if:
 - they have a fuel poverty energy efficiency rating (FPEER) of band D or below; and
 - if they are to spend their modelled energy costs, they would be left with a residual income below the official poverty line.
- 3.14 Three factors therefore affect fuel poverty: household income, fuel prices and household energy consumption. Buildings that demand a lot of energy to heat and run, combined with high energy prices (e.g. as has been seen subsequent to global instability in face of crisis like war in Ukraine and covid recovery), and pressures on household incomes can serve individually and cumulatively to exacerbate fuel poverty.
- 3.15 The Oxfordshire JSNA identifies that Oxford City is significantly worse than the Oxfordshire or regional averages on fuel poverty, whilst the other Oxfordshire districts are each significantly better than average (Figure 4). The 2024 update, which reports on 2021 and 2022, indicates that fuel poverty worsened across the county including in Oxford with its score increasing from 10% to 11.2% (+1.2%). The picture of fuel poverty within the city is unequal; there are twelve areas in the city with more than 10% of their households in fuel poverty, with the highest proportion (East Central Oxford) and lowest in (North Central Oxford) (Figure 3.4).

Proportion of households that are fuel-poor, 2021-2022





Figure 3.4 - Percentage of households in fuel poverty across Oxfordshire in 2021 and 2022 (top) alongside a breakdown of fuel poverty across different parts of Oxford in 2022 (bottom) (source: <u>Joint Strategic Needs</u> Assessment 2024)

Climate change risk and the need for adaptation

- 3.16 The impacts of greenhouse gas emissions such as carbon dioxide are in exacerbating the global problem of climate change, however, even if emissions were to be cut to zero today, the climate would continue to change because emissions in the atmosphere will persist for some time. The risks from climate change such as milder, wetter winters; coupled with increasing periods of intense and prolonged rainfall; as well as hotter, drier summers, will impact everyone in Oxford, but could be especially pronounced for more deprived communities and those living in poor health (as is discussed further in the health and wellbeing background paper).
- 3.17 Oxford has various characteristics that lead to climate change risks. A significant amount of land is exposed to flood risk from the two rivers, and other water courses running through the city. Despite areas of abundant green space, other areas are intensely urbanised and lacking in any green features, reflecting the constrained nature of parts of the city which brings additional challenges. For example, water runs off these artificial surfaces easier and there is less storage available in the form of green features and soils which can exacerbate flood risk (e.g. surface water flooding or overwhelming drainage systems). Also, the lack of green features exposes the city to additional overheating risk and the urban heat island effect as artificial surfaces absorb and reradiate heat, shading is reduced and the natural cooling effects of vegetation are reduced.

- 3.18 Recent research by the Oxfordshire County Council as part of their County-wide <u>Climate</u> <u>Vulnerability Assessment 2024</u> identifies Oxford as having some of the most at risk areas in the county for future climate change in respect of flooding and heat waves. The assessment highlights that confirmed that current heat wave risk is concentrated in the most urban parts of the county and is only exacerbated in future according to different projections for 2050. Eight of the ten wards in Oxfordshire with the highest current heatwave risk are located in the Oxford City (Barton and Sandhills, Blackbird Leys, Cutteslowe and Sunnymeade, Carfax and Jericho, Holywell, Littlemore, Northfield Brook and Walton Manor), including some in higher deprivation areas.
- 3.19 The picture is similar for flooding, with the county work identifying a number of wards in the city as being in the top ten with highest flooding risk at present (Blackbird Leys, Holywell, Hinksey Park, Littlemore, Marston and Northfield Brook). The subject of current and future flood risk is explored further in the Flood risk background paper and will be an important factor in the updated Strategic Flood Risk Assessment.

4. Likely trends without a new Local Plan (supporting Task A2 and A3 of Sustainability Appraisal)

- 4.1 In the absence of a new local plan, the existing Oxford Local Plan 2036 policies would continue to apply. Policy RE1: Sustainable design and construction, sets out the carbon reduction requirements that proposals for new-build residential developments and new-build non-residential developments of 1000m2 or more need to demonstrate through submission of an energy statement. At time of writing, this requirement is a 40% reduction over the current Building Regulations baseline.
- 4.2 However, Policy RE1's requirements are not fixed over time, instead, they step up and require an increase in carbon reductions against the current Building Regulations baseline in 2026 and 2030 for residential developments, and 2026 for non-residential developments. The policy ultimately requires Zero Carbon homes from 2030, although this requirement does not apply to new build non-residential developments and as such the requirement for those types of development the expectation would remain at a 50% reduction from 2026 onwards.
- 4.3 Policy RE1 applies only to regulated carbon emissions, excluding those unregulated emissions from any policy requirements. Meanwhile, the policy is also very limited in setting requirements in relation to actions that can reduce embodied carbon emissions within the construction process. Additionally, the Local Plan has minimal control over existing buildings and cannot force through owners to undertake retro-fit works, which will leave the existing retro-fit challenge to be addressed in other ways.

- 4.4 Beyond the plan period (past 2036), in the absence of a new local plan, the policies for planning in national planning policy as set out in the NPPF would take on increasing prominence. Whilst recent updates to the NPPF highlight the role of planning in supporting transition to net zero carbon, there is no specific requirement for net zero carbon development despite the national legislated target of being a net zero carbon country by 2050.
- 4.5 Of course, if the proposals are progressed as previously consulted on, then national standards set through Buildings Regulations are expected to become tighter in future with the introduction of the full Future Homes and Future Buildings Standards. This will support further reductions in some emissions associated with new development. As touched upon earlier in this paper, these proposed updates however do not currently address the full operational energy demands of buildings, ignoring unregulated energy loads not controlled through Building Regulations and associated with up to 50% of energy demand in a new building. They also do not address embodied carbon/energy. As these elements are also not touched by Local Plan 2036, the emissions associated with them would remain unaddressed without a new Local Plan.
- 4.6 Nationally, we are likely to see continued drop in emissions related to grid electricity used in development in line with the government's <u>clean power target of 2030</u>, which is ahead of previous 2035 net zero grid commitments. However, the national scale rollout of renewable energy generating technology needed to support a net zero grid has, to date, suffered from lack of strategy and investment at the required pace to achieve such targets.
- 4.7 In the short term at least, without additional mitigation measures in place to address emissions from new development via a new Local Plan, then any additional growth can be expected to result in an increase in emissions.
- 4.8 In relation to climate change risk. The impacts of climate change are likely to continue to be felt, even with radical reductions in greenhouse gas emissions, but could become more severe if trends in emissions do not reduce. The Oxfordshire Climate Vulnerability Assessment 2024 indicates that six of the city's wards which were discussed in the last section remain in the top ten at risk from overheating for 2050 projections (Littlemore and Walton Manor are replaced by other wards in the county) and five remain in the top ten for flooding (Holywell and Hinksey Park are replaced by other wards in the county).

5. Options for Local Plan 2042 policies

5.1 The analysis set out in the previous sections of this background paper indicates that the Local Plan 2042 should include several policies to address the topics of carbon reduction and net zero carbon development. This will not only be important for delivering upon the Local Plan 2042 objective of ensuring that the city is ready for a net zero carbon future, but also for helping to meet city and national climate change targets for achieving net

zero. The Local Plan 2042 therefore includes proposed policies in response to three topics:

- Ensuring new buildings in operation are net zero carbon.
- Ensuring new development reduces embodied carbon in the construction process.
- Enabling and supporting the retro-fitting of existing buildings, including heritage assets.
- 5.2 Additionally, it will be important for the Local Plan to have policies that drive more resilient design that is better adapted to the changing climate in future. There is overlap in this matter with various other topic areas, such as the need for greening (discussed in the green infrastructure background paper), flood risk policies (see flood risk and SUDs background paper 007) and policies driving healthy design (see health and wellbeing background paper 010). As such, these specific topics are not repeated here, but an overarching resilient design policy is proposed which can draw in design considerations touching on these various policy areas, and options for this are set out in this paper.
- 5.3 For each topic, options for the approach that could be taken for the Local Plan 2042 policy have been considered, and these 'options sets' are set out in tables on the following pages. The tables identify potential positives of the approach, as well as the potential negative or neutral impacts that could arise depending on the approach taken and that have helped inform the preferred position set out for the Regulation 18 consultation.
- 5.4 Additionally, the options sets have been considered in light of their specific sustainability impacts through a high-level screening against the 12 sustainability criteria forming the assessment process for the separate Local Plan Sustainability Appraisal (explained in greater detail in the main Sustainability Appraisal report). Where there is potential for a significant sustainability impact to arise from an option, or where there are significant differences in impacts between potential options, the Council has screened the options set in for a detailed appraisal in the main Sustainability Appraisal report. A summary of this screening process is included at the end of each options set table.

Policy options set 008a (draft policy R1): Net zero carbon buildings in operation

- 5.5 It is clear that the built environment contributes overwhelmingly to Oxford's existing carbon footprint as existing buildings contribute to emissions arising from the energy used to heat and power them. New buildings coming forward in the city will only add to these emissions unless they are designed to operate as net zero carbon buildings (which do not emit net additional carbon dioxide emissions in order to function).
- 5.6 Whilst the current Local Plan already requires improvements in carbon dioxide emissions over national building regulations standards, the current requirements do not ask for net zero carbon design. National buildings regulations are expected to be updated in future, and require net zero carbon ready development, but these will not deliver true net zero carbon buildings in operation (because Building Regulations does not address all energy sources in a building only 'regulated' energy sources).
- 5.7 The options for policy that have been considered for LP2042 therefore relate to how much further local standards should go beyond what is asked for in national building regulations now or in future. They also include whether or not to allow for offsetting on trickier sites.

Option for policy approach	Potential positive consequences of	Potential negative/neutral
	the approach	consequences of the approach
Option a	Designing in accordance with the energy	Different types of application will have
Specify design in accordance with energy	hierarchy will help to ensure buildings are	varying opportunity to apply the energy
hierarchy principles (including fabric-first)	as efficient as possible from the ground	hierarchy – for example, it may be easier
for all new development and permit no	up.	to take a fabric first across a new self-
fossil fuel use in new buildings.		contained dwelling, compared with an
	Energy use is the primary source of	extension to an existing dwelling. This
	carbon emissions from buildings in	could add complexity or confusion in the
	operation, tackling this will support	design process.
	carbon reduction but also potentially help	
	address issues of fuel poverty and	There may be circumstances where there
	reduce demand on the wider energy grid.	is a need for relying on fossil fuel
		systems – potentially where grid
	Preventing any additional fossil fuel	constraints are unable to support fully
	combustion heating systems will help to	electric systems for example.
	reduce the need for retrofit later. This	

Table 5.1 - Policy options set 008a Net zero carbon buildings in operation

	could also ensure that new development does not contribute further to air pollution, including NO2 levels, but also Particulate matter levels (PM) in the city. Direction of travel, including previous updates to Building Regs already (and will further) disincentivizes fossil fuel systems like gas boilers. Policy would lock in local commitment and ensure all new development accords with it from adoption of the plan.	Equally, there may be opportunities for future technology advances to enable the transition of fossil fuel systems to cleaner sources (e.g. infrastructure and gas boilers being upgraded to function using hydrogen), although this is highly uncertain.
Option b	Regulated energy use is a well	The option is not in line with the
Mandate net zero carbon in operation	understood area of operational energy	government's current policy guidance for
(applying to <u>regulated</u> energy only)	consumption and there is good	Local Authorities.
from adoption of the Plan. Measure	understanding about how to decarbonise	
performance using Energy Use Intensity	it. It is currently addressed as part of	A more prescriptive policy, with specific
(EUI) as the primary calculation. Set	Local Plan 2036 so would keep in line	targets could limit innovation and become
targets for:	with current practices.	outdated more quickly, whilst also making
 regulated energy use in the 		for an overly technical policy.
building, and	Assessing net zero carbon performance	
energy use associated with space	using an Energy Use Intensity (EUI)	It may be difficult to set targets that are
heating, and	calculation would measure energy use as	realistic for the range of building types
this energy use to be met through	recorded at the meter and is more	that could come forward under non-
equal amount of new renewable	reflective of performance. Measuring via	residential development (e.g. schools,
energy generation (ideally onsite).	EUI instead of traditional carbon %	offices, warehouses etc).
Encourage net zero unregulated energy	reduction targets allows for better	–
to be addressed as part of overall	comparisons of performance between	Encouraging net zero unregulated energy
approach where possible (e.g. seek	buildings also.	through the policy would not be as strong
opportunities to reduce, and to meet		of a requirement as requiring it. This could
	Policy would still encourage developers	have implications for power grid capacity
	to address unregulated energy where	considering expected increasing

through additional renewable generation capacity).	possible, which may secure some additional benefit for energy use/emissions associated with thus type of energy use, but would not make it compulsory.	demands on electricity nationally with the shift to net zero. Ultimately, this option could risk the city not meeting its targets in addressing climate change, or achieving local (2040)
		or national (2050) net zero goals, particularly where national grid takes longer to decarbonise.
Option c	Similar positives to option b, however,	Similar negatives to option b, however,
Mandate net zero carbon in operation	option c would resemble a more reaching	option c is likely to be much more
(applying to regulated and	policy encapsulating decarbonising of	challenging.
unregulated energy) from adoption of	unregulated energy sources also.	Again, the option is not in line with the
the Plan. Measure performance using	Unregulated energy can be a significant	government's current policy guidance for
Energy Use Intensity (EUI) as primary	component of the total operational energy	Local Authorities and strays further in
calculation. Set targets for	use of a building and it will need to be	scope (than option a).
total energy use (regulated and	decarbonised in the same way as	
unregulated) in the building, and	regulated energy in order to meet future	Unregulated energy use is predominantly
energy use associated with space	net zero targets.	determined by occupant behaviour within
heating, and	This and in a constal and the second	the building once in operation, something
this energy use to be met through	This option would seek to ensure	that planning policy and the design/
equal amount of new renewable	unregulated energy needs are met	construction process has limited
energy generation (ideally onsite).	through sufficient on-site generation	influence on. There could be particular
	wherever possible, potentially reducing	challenges for high energy demand, non-
	demands for power from the main power	residential uses, such as healthcare and
	grid.	research (such as labs) with bespoke
	This policy option is considered to be the	equipment needs central to their
	This policy option is considered to be the	operation. Some flexibility may need to
	most well-aligned with the measures	be built into targets used in such a policy.
	needed to accord with the city's 2040 Net	More constrained sites and/or estain
	Zero Carbon target (and roadmap/action	More constrained sites and/or certain
	plan) as well as the national net zero	buildings (e.g. with limited roof space)

	2050 target. It should help boost micro-	may struggle to meet unregulated energy
	generation of renewable energy across	demands through on site renewables and
	the city and mitigate need for future retro-	may be pushed towards other forms of
	fitting. It also accords with the majority of	offsetting.
	industry guidance for designing to net	
	zero carbon in operation e.g. (LETI, BRE	
	GROUP etc).	
Option d	This approach represents a less	Net zero ready development as currently
Mandate 'net zero ready' buildings, in	advanced one to options b and c but	set out in the Future Homes/Buildings
line with the principles in the	would be closer to the direction of travel	Standard does not address total
proposed Future Homes/Buildings	outlined by central government in its	operational energy of buildings and would
Standard (which apply to regulated	consultations on the Future	omit emissions associated with
energy only). Measure compliance via	Homes/Buildings Standard. It would	unregulated energy. Development built to
national Building Regs calculations (e.g.	mandate the requirement for net zero	this standard would not be net zero in
SAP/ SBEM) demonstrating carbon	ready homes from the Local Plan's	terms of regulated energy until the
reduction over notional building.	adoption, even if the national standards	national grid has fully decarbonised
	are delayed or watered down and would	either, thus would be responsible for
Encourage net zero unregulated energy	seek to ensure that no further retrofit is	continued emissions.
to be addressed as part of overall	needed to new developments in the	
approach where possible. (e.g. seek	future to bring them to net zero as the	Encouraging net zero unregulated energy
opportunities to reduce, and to meet	national grid decarbonises.	through the policy would not be as strong
through additional renewable generation		of a requirement as requiring it. This could
capacity)	Recognising that the proposals set out in	have implications for power grid capacity
	FH/BS do not currently address	considering expected increasing
	unregulated emissions, this policy would	demands on electricity nationally with the
	still encourage developers to address	shift to net zero.
	unregulated energy through ensuring	
	sufficient on-site renewable energy	Ultimately, this option could risk the city
	generation and to demonstrate this via	not meeting its targets in addressing
	submission of EUI calculations.	climate change, or achieving local (2040)
		or national (2050) net zero goals,
		or national (2000) net 2610 goals,

		particularly where national grid takes longer to decarbonise.
Option e	Due to the constrained nature of many	There is the risk, as evidenced elsewhere
For challenging typologies of	sites in the city, it may be difficult to	with similar schemes, that offsetting could
development that have exhausted all	incorporate technologies such as	be more attractive than delivering onsite
onsite options to meet operational energy	renewables onsite (or find spaces offsite)	measures leading to poorer performing
demand in line with other policy	to balance out energy use, thus offsetting	buildings.
requirements, accept offsetting as a way	may be necessary. It could be an option	
to mitigate impacts through paying to	where all other approaches are	Offsetting shifts the problem of carbon
provide offsite retrofitting to existing	exhausted.	emissions elsewhere and does not
buildings elsewhere. Set out strict		address the real need to deliver truly net
principles for how/when this would be	Collection of an offset fund could	zero buildings from the beginning.
accepted including that this option is a	potentially create a pot of money which	
last resort. This would be framed as	could be utilised to deliver carbon	Offsetting projects would need to be
'energy offsetting' (rather than carbon	reduction measures elsewhere in the city	identified, resources would need to be
offsetting) and tied to the energy	(e.g. existing buildings in need of retrofit).	found to monitor their delivery, manage
calculations of demand versus		the fund, and ultimately ensure a 1-to-1
generation for the development.		offset in carbon emissions between the
		project and the contributing development.
Option f	Similar to option d but not setting any	This approach ignores the local context
Set no local standards on net zero	expectation/local direction on net zero	of Oxford, such as its 2040 local net zero
carbon design of new buildings. Conform	carbon design standards. This option	carbon target.
with the approach advocated by the	would mean greater consistency for	
Written Ministerial Statement 2023 and	developers building in Oxford compared	Previous updates to Building Regs have
rely on national standards set out in	to elsewhere and less complexity in the	been slow historically, and Future
Building Regulations, including the	planning application process. At the	Homes/Buildings Standard is not yet
upcoming uplifts associated with Future	design stage, regulated emissions are	guaranteed (at time of writing the results
Homes/Building Standard which is	the primary area that can be influenced	of the last consultation on the options it
envisaged to deliver 'net zero ready'	thus Building Regs process could	proposed have not even been released).
development from 2025 onwards.	achieve this.	
		Even when in place, the updated building
		regs will not deliver net zero carbon until

the grid is decarbonised, it will also not
address unregulated/embodied carbon
(in its current proposed form). Ultimately,
this option would be even more likely
(than other options) to risk the city not
meeting its targets in addressing climate
change or achieving local (2040) or
national (2050) net zero goals,
particularly where national grid takes
longer to decarbonise.

Initial sustainability appraisal screening of options sets

Is there only one option or are there various options we could take? - various options/combinations e.g. A+B, A+C, A+D, E, F High-level screening conclusion? - the options are similar to each other from a sustainability perspective Screened in for detailed appraisal? - No

Rationale: In terms of options, it would be appropriate to consider having a policy or not as there is no specific NPPF demand either way, though local context supports the inclusion of some sort of policy, the considerations then are how far such a policy goes in requirements. The options that the Council has considered represent various approaches to setting policy for new development to deliver upon net zero carbon in operation through use of various combinations of requirements relating to: types of energy addressed (e.g. regulated or unregulated); use of specific targets for energy use (space heating and total); requirements for renewable energy generation; as well as the methodologies for calculating performance (e.g. SAP or EUI). Whilst options b, c, d and f, represent four alternative approaches, some of the options (options a and e) are not strictly alternatives, but rather additional options for a policy to cover and, whilst option a could stand alone, it could also be incorporated alongside one of the options, as with option e (offsetting) which is less likely to stand alone.

In terms of sustainability impacts, the different options all relate primarily to levels of mitigation that the Local Plan could ask for in relation to new developments' energy use and carbon emissions and would be assessed against similar criteria within the SA assessment framework – particularly criteria **1. Carbon emissions**, **2. Resilience to climate change**, but also potentially **5. Inequalities** (because of potential influence on fuel poverty) and **11. Urban design** (because higher standards may push towards more standardised design styles/shapes in buildings and limit design innovation). As the differences between the options are essentially in how they propose to technically implement net zero carbon design, as well as in how far they push in terms of standards applicants must meet, there would be some variety in the extent of any impact each option would incur against the SA criteria – particularly the extent of positive impact under criteria 1. 2. and 5. and variation between neutral or minor negative impact under criteria 11. (because as standards get stronger and potentially limit design). Option f would mean no local policy requirements, however, this is likely to still be accompanied by some positive impact for criteria 1. 2. and 5. because of the expected tightening of national building regs to move new development towards being net zero ready, although the positive impact is going to be reduced and would take longer to begin to take effect (it is likely to be negative/neutral in the immediate term). Overall, it is considered that the sustainability impacts from the options do not differ enough to warrant them being scoped in for detailed appraisal.

Policy options set 008b (draft policy R2): Embodied Carbon

- 5.8 In addition to the carbon dioxide emissions related to a building whilst it is in operation, there is also an upfront embodied carbon cost associated with constructing them as was touched upon earlier. Embodied carbon in construction can be influenced by a wide range of factors, from the types of materials used in construction, to where these are sourced from and how they are processed, making this topic a highly complex one, subject to various considerations. As set out in Section 3 of this paper, the balance between addressing embodied carbon and achieving other place-making concerns in the planning process is not always clear either.
- 5.9 The stronger and more explicit a policy is, the more challenging it could be to implement, particularly as national guidance and industry understanding is still emerging. Nevertheless, whilst the current Local Plan is not explicit in requirements to reduce embodied carbon, it is important that development at least begins to consider and take action to address this topic in order to mitigate impacts on the wider environment and climate change. The options for policy relate to how far the Local Plan 2042 should go in requiring applicants to address embodied carbon.

Option for policy approach	Potential positive consequences of	Potential negative/neutral
	the approach	consequences of the approach
Option a	A strong set of principles for addressing	This is an area of evolving guidance and
Include high level principles for limiting	embodied carbon (an area where	understanding and broad principles could
embodied carbon, including the	industry guidance/learning is more limited	be difficult to formalise in policy. Equally,

importance of retaining existing buildings where possible. Guidance would be expanded upon in accompanying technical advice note (TAN).	at present) would ensure the issue is not ignored, whilst leaving flexibility for applicants to respond in the most suitable way per application. Providing more detailed guidance in an accompanying TAN would allow for expectations to be expanded upon and guidance to be regularly updated considering evolving knowledge/guidance which is less developed than for addressing operational energy.	principles need to retain a level of flexibility to enable innovation and adaptation to specific context of individual sites and schemes.
Option b Unless superseded by future updates to Building Regulations (or other national policy). Set more specific requirements for major development requiring a measurement of embodied carbon during construction through a recognised methodology and require applicants to demonstrate specific actions taken to reduce this as much as possible. Applicants would complete and submit a Whole Life Cycle Carbon Assessment demonstrating how embodied carbon has been quantified and reduced.	Requiring larger development to measure embodied carbon at the construction stage will allow for improved understanding of the embodied carbon problem. It will enable a more informed approach to addressing the issue and requiring applicants to demonstrate how they have taken action to reduce it will be an important step forward in delivering net zero construction. This could be expanded upon in future iterations of the local plan as national guidance and understanding on this issue grows.	Assessment methods for measuring embodied carbon in construction can be resource intensive and could be challenging for some smaller scale major development – setting an alternative/appropriate threshold for where these would be required may require further consideration. Demonstrating actions to reduce embodied carbon in major schemes is less prescriptive than setting a fixed maximum target for embodied carbon. It also risks a lack of clarity for applicants about how far the Council expects them to go in justifying their approach in an application and in the level of detail they will be asked to provide.
Option c	Same benefits as option C but going further requiring that embodied carbon	Setting specific targets to comply with will reduce the level of flexibility for applicants

levels are kept to within a partoin limit	to reasoned to various drivers influencing
•	to respond to various drivers influencing
-	design of proposals on particular sites.
•	Rigid targets may not be achievable on
footprint of new development.	some sites in the city and this more
	prescriptive approach to policy would
Clear targets could also provide greater	make their redevelopment more
clarity to applicants about the level of	challenging.
action the Council expects them to	
take/demonstrate in order to address	Setting specific targets could be
embodied carbon in the design process.	challenging at policy level considering the
	complexities of accounting for it in
	construction processes and the evolving
	nature of guidance/industry knowledge
	on this issue. Equally, it may be
	challenging for applicants to deliver upon
	or satisfactorily respond to in a planning
	application.
	application.
	Alengoide pet zero eerben in energian
	Alongside net zero carbon in operation,
	targets for embodied carbon are likely to
	have additional viability impacts.
	Previous updates to Building Regs have
	been slow historically, and Future
· · · · · · · · · · · · · · · · · · ·	Homes/Buildings Standard is not yet
render reference in the plan	guaranteed. Even when in place, the
unnecessary.	updated building regs will not deliver net
	zero carbon until the grid is
	decarbonised, it will also not address
	unregulated/ embodied carbon.
	clarity to applicants about the level of action the Council expects them to take/demonstrate in order to address embodied carbon in the design process.

Initial sustainability appraisal screening of options sets

Is there only one option or are there various options we could take? - Yes, various options (e.g. options A alone, A+B, A+C, D)

High-level screening conclusion? - the options are similar to each other from a sustainability perspective **Screened in for detailed appraisal? -** No

Rationale: Option a proposes setting general principles for applicants to follow in order to take action on reducing embodied carbon, whilst options b and c represent alternative ways of setting further standards for larger scale developments. Both options b and c require these types of applications to submit evidence showing they've quantified their embodied carbon and quantifying how much they have reduced this, however, option c goes further and sets a specific target that should not be exceeded. Option d is to set no local policy requirements for addressing embodied carbon.

In terms of sustainability impacts, the impacts arising from the options most directly relate to SA **criterion 1. Carbon Emissions**. For this criterion, option a is likely to have a slight positive impact, though will depend upon implementation, and may not result in any significant reductions in embodied carbon emissions. Option b and c have increasingly positive impacts as they begin to set standards for quantifying the emissions and actual reductions secured, so are likely to have more meaningful impact, though they will not negate all emissions so the positive impact would be minor overall. Option C is

Policy options set 008c (draft policy R3): Retrofitting existing buildings including heritage assets

- 5.10 The Local Plan 2042 will have limited influence over existing buildings that have already gone through the planning process, yet the earlier analysis in this background paper highlights that these buildings collectively form a significant source of carbon emissions which will need to be retro-fitted to help achieve local and national net zero targets. Many retro-fitting measures, such as fabric efficiency and installation of renewables, can be undertaken without planning permission, but where permission is required the Local Plan can help applicants to approach these projects in the right way.
- 5.11 This is particularly important for traditional buildings and heritage assets which can have special qualities which need to be conserved (particularly where these benefit from national designation). It will also help avoid problems of maladaptation which could lead to negative impacts for occupants' health (e.g. impairing passive ventilation processes many of these buildings rely

on and that is essential for avoiding damp build up). The options set out for this topic therefore mostly focus on how the Local Plan policy should treat applications impacting traditional and historic buildings.

Option for policy approach	Potential positive consequences of	Potential negative/neutral
	the approach	consequences of the approach
Option a	This policy recognises the high priority	The local plan has limited direct influence
Include a presumption in favour of retrofit	afforded to the retrofit need in the city	on retrofitting of existing properties
measures for all existing buildings that	and seeks to ensure that retrofit	unless they need planning permission
are not heritage assets or in the setting	measures that require planning	(many small-scale improvements are
of, subject to certain conditions, where	permission will be supported wherever	considered permitted development and
these measures secure demonstrable	possible – particularly where	would not). Any such policy can only be
carbon reduction/energy	demonstrable benefits for climate	supportive, as and when such measures
efficiency/climate adaptation.	(mitigation or adaptation) can be	do require planning permission.
	evidenced.	
		Whilst this policy would highlight the
	It highlights that as a starting point, such	importance which we assign to
	measures are presumed to be acceptable	supporting retrofitting measures in
	on planning grounds. This additional	existing buildings, there will be other
	certainty is intended to support and	material considerations which have to be
	encourage more occupants to pursue	weighed up against this policy and could
	retrofit projects.	still ultimately be determined to outweigh
		this presumption in favour.
Option b	This option addresses the retrofit need in	Same negatives as for option a as well as
In relation to designated heritage assets	the context of historic buildings and	the following:
and historic buildings, or proposals within	heritage assets and responds to the	
conservation areas, set out that carbon	particular challenges present in the need	Listed buildings and other heritage assets
reduction/ energy efficiency/climate	to balance heritage considerations. It	are afforded statutory protection which is
adaptation measures will be considered	guides applicants to follow Whole	over and above that given through
as public benefits that may outweigh	Building Approach in order to ensure	planning controls. Great weight is given
harm.	retro-fit maximises opportunities for	to preserving or not harming the

Table 5.3 - Policy options set 008c: Retrofitting existing buildings including heritage assets

	carbon reduction/climate adaptation and	significance of these heritage assets, and
Be explicit in setting out some key	minimises potential for harm to the asset	this must be borne in mind when
principles to follow, including the need for	or its occupants (e.g. through	considering measures of change to
taking a Whole Building Approach to	maladaption).	buildings or retrofitting measures to
retro-fit.		combat or mitigate the impacts of climate
	Same benefits as option a, however, this	change. In supporting retrofitting of older
Expand on guidance through a Technical	option would seek to provide further	buildings, a policy will have to take
Advice Note (updated from the current	certainty for how retrofit of heritage	account of the protection afforded to
version of TAN 15 supporting Local Plan	assets will be considered through the	heritage assets and the need to preserve
2036). This additional supporting	planning application process. It would	their values.
guidance could expand on this complex	provide clarity on how to approach design	
topic such as by flagging measures that	of retrofit projects for these assets,	Setting out principles that applicants
would be more or less likely to cause	setting out the key issues the Council	would be expected to follow, as opposed
harm (e.g. permanent versus temporary),	would want to see addressed in an	to specific measures that would be
and how levels of harm would be	application for it to be succesful. Yet this	acceptable or not, would still leave a fair
assessed against public benefit.	option would also benefit from leaving	amount of site-specific analysis for
	flexibility for approaching each project in	occupants to undertake. They would still
	a way that is tailored to the specific	need to set out project-specific
	context of the site and the particular	justification for why a particular design
	features for which it is protected.	(and set of retro-fit measures) has been
		selected. There is a risk that this quite
	Would also help to address the	complex topic of retro-fitting heritage
	complexity in navigating how harm to	assets remains a challenging one to
	heritage assets needs to be balanced	navigate for applicants.
	with benefits of retrofit (e.g. carbon	
	reduction/climate adaptation) in the	
	decision-making process.	
Option c	Similar benefits as options above but	Same negatives as above aside from the
In relation to designated heritage assets	without the additional flexibility for	point about flexibility as is offered in
and historic buildings, or proposals within	approaching site specific considerations	option b which seeks only to set out key
conservation areas, set out that carbon	relevant to retro-fit of heritage assets as	principles to follow.
reduction/ energy efficiency/climate	is offered in option b.	

 adaptation measures will be considered as public benefits that may outweigh harm. Be explicit in setting out some key principles to follow, including the need for taking a Whole Building Approach to retro-fit. Additionally, set out in the policy the retro-fit measures that would be more or less likely to cause harm (e.g. permanent versus temporary), and how levels of harm would be assessed against public benefit. Expand on this through guidance in an updated version of Technical Advice Note 15. 	Listing specific retrofit measures that would be more or less suitable in a policy potentially provides greater certainty to applicants as to which measures would be more appropriate versus those that would be viewed as more harmful in a heritage context. It might reduce some of the uncertainty around what would be acceptable for such applications.	In addition, option c's approach of setting out specific measures in the policy that may cause more or less harm would have its own potential negatives. This is because it is likely that identifying a strict list of measures that cause less harm in a policy will be challenging when the character and value of heritage assets and their setting varies so much across the city. Such a policy is likely to be highly complex to present in the Local Plan and subject to many caveats because it is unable to grapple with the level of detail needed to be truly helpful to applicants (and likely better suited to an optional Technical Advice Note instead). Ultimately, decisions will still have to be made on a case-by-case basis, thus the benefits of this approach may be undermined.
Option d Do not include policy addressing retrofitting of existing buildings and/or heritage assets.	The local plan has limited direct influence on retrofitting of existing properties unless they need planning permission (many small-scale improvements are considered permitted development and would not). Any such policy can only be supportive, as and when such measures do require planning permission. It would also be limited by the need for balancing other	This would ignore the significant need for pursuing retrofit projects on existing buildings in the city to reduce our carbon footprint. Any policy in the plan is likely to have limited effect in directly driving retrofit measures, however, by highlighting that such measures would be supported and providing clarity on what is most appropriate where, this could help to

relevant planning issues in the decision-	avoid the planning system being seen as
making process (such as any potential	a barrier to uptake where such measures
harm to protected heritage features).	are planned and require planning
	permission.

Initial sustainability appraisal screening of options sets

Is there only one option or are there various options we could take? - Yes (e.g. options A, A+B, A+C, D) High-level screening conclusion? - the options should be screened in for detailed appraisal Screened in for detailed appraisal? - Yes

Rationale: Option a sets out a presumption in favour of retro-fitting for non-heritage buildings, meanwhile, options b and c are alternative approaches for how local policy could support retro-fit on heritage assets and represent alternative approaches which could be combined with option a. Option d would mean no local policy requirements in relation to retro-fitting.

Options a, b and c would all likely have some positive impact for **SA criterion 1. Carbon Emissions** and **SA criterion 2. Resilience to Climate Change** through establishing a local policy environment that is as supportive and enabling of retro-fit of existing buildings in order to achieve carbon reductions/energy efficiency or climate adaptation. Option b and c would have slightly more positive impact as they would also relate to the city's various historic buildings. Local Plan policy cannot enforce retro-fit of existing buildings and, in relation to historic assets, there are also other competing considerations that may limit the positive impact, meaning the options are likely to result in minor positives at best. Whilst Options b and c might increase the scope for positive impact against criteria 1. and 2., because these options would explicitly support sensitive retro-fit on heritage assets, they do also introduce the potential for harm to the special characteristics for which many are designated – thus resulting in a potential negative impact against **SA criterion 11 Urban Design and Historic Environment**, though the extent of this impact would depend upon implementation and types of assets that are retro-fitted, but should be reduced through following the key principles such a policy would set out. Option D would result in neutral impacts against the criterion because it would neither cause additional harm (indeed emissions are likely to continue to reduce in some respects e.g. as national grid decarbonises), nor will it result in specific positive impacts (there is no national requirement to undertake retro-fitting).

The balance between competing priorities of reaching net zero through retro-fit and also continuing to preserve and enhance the historic environment which is intrinsic to Oxford is a complex one. Whilst the potential sustainability impacts arising from the

options are not expected to be significant, the extent of negative impacts under options b and c could vary. Based on this initial screening, it is suggested that the option set should be scoped in for further detailed appraisal.

Policy options set 008d (draft policy G9): Resilient design and construction

5.12 Oxford is at risk from climate change, particularly in relation to increased flood risk, water stress, overheating and more intense weather events generally. Climate resilience will be supported by various policy areas in the Local Plan, and various climate adaptations such as greening can have multiple benefits not just for making places that are healthier and more comfortable for people. A specific policy could be beneficial in ensuring that the key issues of relevance are flagged to applicants and in guiding them towards considering future climate as part of their design process. The options presented below relate to what this policy approach could look like.

Option for policy approach	Potential positive consequences of	Potential negative/neutral
	the approach	consequences of the approach
Option a	Would set out a strong position/stance on	Many aspects of climate adaptation will
Set out a discrete adaptation/ resilience	the issue of climate adaptation and	be dealt with through other policies, there
policy, whilst continuing to address risks	building resilience to climate impacts	is a danger of repetition e.g. with health,
in other policies where relevant. Ask	which could negatively impact on health	flood risk, design, and GI.
applicants to demonstrate how they have	and wellbeing.	
designed in accordance with policy via		Will need to find a consistent and concise
the design checklist or a separate	Bringing the range of policy areas into	way for applicants to demonstrate they
checklist. Cross referencing to other	one checklist, ensuring applicants are	have met these policy requirements
relevant policy requirements (e.g.	looking at them through the lens of	without forcing them to repeat work in
flooding) as well as incorporating other	climate resilience, could be helpful.	multiple places in their application. The
specific requirements such as:		design checklist would be one means of
Need for climate resilience impact	Would specifically pick up on issue of	doing this. Could allow for cross-
assessment;	overheating, a key risk in the city moving	referencing to evidence prepared to meet
Details of a cooling strategy (for	into the future, and require applicants to	other policy requirements where relevant.
the building and surrounding	detail what measures they have included	

Table 5.4 - Policy options set 008d: Resilient design and construction

spaces in large schemes,	in design/construction to address this and	
addressing alignment and	maintain thermal comfort for occupants	
shading) intrinsic to the design	during hot summer periods. Likely to go	
(not having implications for	further than what is asked for in Building	
carbon use), including measures	Regs alone.	
for addressing overheating risk for		
lifetime of development;		
Measures to conserve/recycle		
water;		
 Flood resistance/resilience 		
measures;		
Supporting infrastructure such as		
electricity supply and broadband		
designed to function in extreme		
weather conditions (such as		
prolonged periods of very high		
temperatures or heavy rainfall).		
Option b	There are several sustainability	Schemes such as BREEAM are not
Require major development to achieve	certification schemes in existence which	specifically focused on climate
certification against a recognised	are well recognised by industry such as	resilience/adaptation alone, it is usually
sustainability assessment e.g.	BREEAM. These schemes often take a	one element that is assessed amongst a
BREEAM/HQM.	holistic view of design and ensure that	range of sustainability considerations.
	considerations like climate change are	Points that underpin certification can
	weighed up alongside other design	usually be scored across a variety of
	measures.	categories – though we could require
		points in certain places as we do at
	Certification would ensure a high	present with requiring 4 points under the
	standard of sustainable design in major	water topic of BREEAM under RE1.
	developments and help to ensure	
	consistency across for applicants.	This option would force applicants to
		pursue independent certification with a

		 particular provider, though we could specify that any equivalent is acceptable to provide more flexibility. Relying on this kind of certification alone may not fully maximise climate resilience objectives. Likely to incur additional costs and resource demands for applicants.
Option c Address climate risks as theme purely through other policies e.g. design flood risk, green infrastructure. No requirement for specific policy addressing issue.	Ensures resilience/adaptation is central to thinking across local plan policy framework. Avoids repetition of requirements/considerations set out in other complementary policy areas (e.g. flooding and green infrastructure).	Climate resilience aspects can be lost amongst other objectives when they are not given sufficient consideration. There are some specific adaptive measures, and wider sustainable construction issues which may not easily fit into other policy areas without making them overly long/ unwieldy.
Option d No policy on climate adaptation/resilience – rely on national guidance.	Some elements of building resilience to climate change will necessarily be covered elsewhere e.g. flood risk requirements are strong in NPPF, overheating within building regs.	Ignores local context – e.g. heritage, dense urban environment, as well as identified climate risks facing the city in future. National policy hasn't traditionally been particularly strong on adaptation. Could miss opportunities to tie together benefits for many complementing agendas – e.g. health, air quality.

Initial sustainability appraisal screening of options sets

Is there only one option or are there various options we could take? - Either option A, B, A+B, C, C+B, or D High-level screening conclusion? - the options are similar to each other from a sustainability perspective Screened in for detailed appraisal? - No

Rationale: The options represent different approaches to incorporating requirements for applicants to deliver climate resilient design into local policy or not. Option a would be to have a bespoke policy with a checklist of requirements for them to address where relevant and option c would instead scatter these requirements across other policies. Option B would instead require applicants to achieve certification against an independent sustainability certification scheme, which could be standalone or in combination with option A or C. Option D would be to have no local policy requirements about climate resilient design.

Most directly these policy options relate to **criterion 2. Resilience to climate change**, although the wide-ranging nature of climate resilient design means that these policy options can indirectly impact a variety of other criteria such as **criterion 7. Green Infrastructure** (where resilience measures include greening), **criterion 5 inequalities** (where resilient design reduces health risks from climate change), though this is more dependent upon implementation and challenging to appraise. In relation to criterion 2, however, the options are all likely to represent minor positive impacts, other than option d, with the differences between them being more about how a local policy approach is implemented through the local plan. Option D is assumed to be neutral (because national policy has enough requirements to at least ensure some level of risk mitigation such as through national guidance on addressing flooding and Building Regs addressing overheating to some degree). Overall, the differences between the options are not significant enough in sustainability terms to warrant being scoped in for a detailed appraisal.

6. Conclusions including preferred approaches for Local Plan 2042

- 6.1 The Council is legally expected to ensure that actions to mitigate climate change are incorporated into its Local Plan making process and policies are included that support the transition to a net zero carbon future. Such policies will be important not only for achieving the UK net zero target of 2050, but also the city's own net zero target of 2040. They are also important for helping to improve upon the health and wellbeing of Oxford's residents such as by improving energy security and reducing energy bills.
- 6.2 As the new Local Plan is developed, it is will be important to consider a range of issues, including improving energy efficiency of new buildings and reducing their operational carbon footprint, and helping to enable occupiers of existing buildings to drive retro-fitting that can help improve the sustainability of these structures too where possible. It will also be important to lay the groundwork for reducing embodied carbon within the construction process which is a more complex challenge, but one of increasing concern.

Key sustainability issues for the Local Plan to address in relation to carbon reduction and climate resilience:

- Significant amount of action required addressing all sectors including buildings, transport and waste to reduce existing carbon footprint and meet city's ambitious 2040 target.
- Ensuring that new development is fit for a net zero carbon future and does not contribute to climate change further.
- Embedding the principles of the energy hierarchy into the approach to designing new buildings (fabric first, reducing energy use, mitigating remaining emissions).
- Addressing embodied carbon/energy as part of the construction process.
- Potential for supporting small and larger scale renewable energy generation across city.
- Challenges of retro-fitting of existing built stock and balancing need to deliver carbon reduction against other constraints like protecting heritage/conservation assets.
- Climate adaptation/resilience is also a key issue as Oxford is already at risk from flooding and overheating and this risk will increase in future.

Other plan-related issues

- Balancing the needs to deliver other important council priorities (e.g. affordable housing) with the cost of delivering net zero developments across the city.
- Ensuring that any new standards set are deliverable financially and practically.

Preferred approaches for the Local Plan 2042

6.3 Section 5 identified that there were a number of topics that the Local Plan 2042 could implement policy to address which relate to carbon reduction and achieving net zero carbon objectives. Under each of these topics, there were various options for policy approaches which could be taken, with differing impacts and these were presented in tables to better facilitate comparison between them. Taking into account the various impacts arising from the options, the preferred approach to be taken for each topic, and set out in the main Regulation 18 consultation document, is as follows:

Net Zero Carbon buildings in operation – Draft policy R1

- 6.4 The preferred approach for the Local Plan 2042 policy is to take forward a combination of **options A, C and E**. Whilst the approach would risk not aligning with central government expectations (because it sets energy standards for development that exceed national standards), this approach is considered necessary to ensure new development does not compromise the city's ability to meet net zero carbon targets in future.
- 6.5 The combination of **options A and C** will help reduce need to retro-fit buildings in future and also help to address risks of fuel poverty for occupants of new buildings by reducing energy demands to operate buildings and drive renewable energy onsite, which can help with bills. Equally, driving more energy efficient buildings are important for reducing burdens on the wider energy grid.
- 6.6 The addition of **option E**, which makes an allowance for offsetting is considered to be a necessary and pragmatic approach, recognising that delivering net zero buildings in operation will be challenging for some typologies. It should only be allowed for as a last resort, once all onsite options for meeting the rest of the policy have been explored. Where utilised, the offsetting mechanism could help to deliver retro-fitting of existing buildings, which is also a potential positive (though the preference is for the mechanism to be used sparingly, if at all).

Embodied carbon in the construction process – Draft policy R2

- 6.7 The preferred approach for this topic is a policy that comprises of **options A and B.** The policy approach for the Local Plan 2042 would essentially act as a stepping stone, introducing requirements for the city where very little currently exist, but also recognising that embodied carbon is an area of complex topic and one where understanding is still emerging.
- 6.8 **Option A** would apply to all proposals, but the principles it would propose will vary in relevance depending on each specific site context and type of development proposed. The principles would act as important considerations to guide applicants when designing their proposals, whilst remaining flexible enough to respond to the varying context that each application for development is brought forward in. **Option B** would seek to push larger developments towards taking more explicit action in addressing this topic. Whilst

the option does not impose specific targets to limit embodied carbon to, which some may feel limits the effectiveness of the policy, it would help to ensure the largest schemes with the most significant potential impacts are transparently calculating embodied carbon and specifically demonstrating the types of measures they propose to reduce this and by how much.

6.9 The options together will help to improve awareness and understanding around this topic which will be of increasing pertinence in future. They will form an important step forwards towards potentially more stringent requirements in future, either locally or nationally.

Retro-fitting existing buildings including heritage assets – Draft policy R3

- 6.10 The preferred approach for policy addressing retro-fitting in the new Local Plan is a combination of **options A and B.** This would make it clear that the Council supports retro-fitting existing buildings, but that for traditional buildings and heritage assets this support is contingent on applicants demonstrating they have approached the design of retro-fit projects in the right way.
- 6.11 **Option B** includes that the policy would set out the need for taking a Whole Building Approach to retro-fitting traditional buildings and heritage assets along with some other key principles to follow. It would then refer applicants to a more detailed Technical Advice Note, which can be kept updated as regularly as needed, to provide additional guidance. This would ensure that the key considerations that an applicant needs to address as part of their application are set out in the policy. However, it would allow flexibility to take into consideration varying contextual factors that might need to guide design on a case-bycase basis, as there is unlikely to be a one-size-fits-all solution that will work for every building and site in the city.
- 6.12 The option set was scoped in for testing through the Sustainability Appraisal (SA) to better understand the effects of each option and any potential for significant effects. The SA testing indicates that this preferred approach would have the most sustainability benefits according to the SA testing, although potential for negative impacts in terms of the historic environment would need to be mitigated through careful wording of the policy in terms of guidance for applications impacting traditional buildings/heritage assets.

Resilient design and construction – Draft policy G9

6.13 The preferred approach for the Local Plan 2042 is **Option A.** This acknowledges climate risk as a key issue for health and wellbeing of people and the sustainability of the wider city and will allow the Local Plan to guide applications in considering future climate change as part of the design process. The key issues of concern relevant to Oxford and its particular climate change risks can be set out in the policy and applicants can be encouraged to incorporate resilience measures to address them through the design process.

6.14 There is likely to be overlap with other policy areas, e.g. requirements for addressing flood risk, or providing green infrastructure, and information provided to meet other policy requirements can be used to support meeting this policy's requirements. The policy will help to ensure that these aspects of design are approached through the lens of adapting to climate change in particular, which may not always be the focus, and will help reduce the chances of opportunities for resilience building being missed.