



Oxford Local Plan 2045 Submission Draft COMMENT FORM

Part A

You only need to
fill Part A in once

140.1

Your name:

David Wilson

Organisation (if applicable):

Thames Water Utilities Limited

Address:

[REDACTED]

[REDACTED]

[REDACTED]

Email:

[REDACTED]

Date:

10/03/2026

Data protection:

Please note that your response will be made available for inspection by the public in paper form at the Council's offices, or other locations as appropriate for the purpose of facilitating public access.

Your personal details will be properly safeguarded and processed in accordance with the requirements of the General Data Protection Regulation (GDPR) 2018. Your information will be used for The Oxford Local Plan 2045 Proposed Submission Consultation only, and we will only store your data until the Oxford Local Plan 2045 is accepted. Information you give in this form could be shared with the Independent Examiner at the examination stage of the Local Plan process.

We cannot accept anonymous comments.

☒ If you are happy for us to state your name and the first line of your address and postcode when publishing your response(s), please tick this box.

☐ If you would rather all personal details except your name and a non-specific address (e.g. Oxford) to be obscured, please tick this box.

Do you wish to speak at the examination hearings?

(Please note that the Inspector will decide who to invite to speak)

Yes ☒ No ☒

Do you wish to be notified when:

the Council submit the Oxford Local Plan 2045 to the Government?

☒ ☐

the Inspector's Report is published?

☒ ☐

the Oxford Local Plan 2045 is adopted by the Council?

☒ ☐

GENERAL ADVICE

For advice on making a comment, please see the accompanying notes page. It is also available at www.oxford.gov.uk/oxford-local-plan-2045

When completing the form,

- You only need to complete Part A once
- Use Part B to make your specific comments. You may complete Part B multiple times to comment on different parts of the Oxford Local Plan 2045.
- Cover concisely all the information and evidence you feel supports or justifies your view, as this will normally be your only opportunity to tell us about it.
- Be as precise as possible.

HOW TO SUBMIT YOUR COMMENTS

Please submit completed forms by email or post to:

planningpolicy@oxford.gov.uk

Planning Policy Team

Oxford City Council
Town Hall
St Aldate's
Oxford
OX1 1BX

If you have any questions please feel free to get in touch with the Planning Policy Team

T: 01865 252847

planningpolicy@oxford.gov.uk

www.oxford.gov.uk/localplan2040

Please ensure your comments reach us by **4.00pm on Friday 13th March 2026.**

Thank you for participating.

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	G7	Sustainability Appraisal	

Q2. Do you consider that the document:

(a) is legally compliant?

☒ Yes

☐ No

(b) is sound?

☒ Yes

☐ No

☐

☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?

☐

(c) effective?

☐

(b) justified?

☐

(d) consistent with national policy?

☐

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

We generally support Policy G7 as it is in general accordance with the NPPF and the PPG.

The National Planning Practice Guidance (PPG) states that a sequential approach should be used by local planning authorities in areas known to be at risk from forms of flooding other than from river and sea, which includes "Flooding from Sewers". We therefore support the reference to sewer flooding.

When reviewing development and flood risk it is important to recognise that water and/or sewerage infrastructure may be required to be developed in flood risk areas. By their very nature water and sewage treatment works are located close or adjacent to rivers (to abstract water for



Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	G8	Sustainability Appraisal	

Q2. Do you consider that the document:

(a) is legally compliant?	☒ Yes	☒ No
(b) is sound?	☒ Yes	☒ No
	☐	☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?	☐	(c) effective?	☐
(b) justified?	☐	(d) consistent with national policy?	☐

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

We support Policy G8 in principle.

In regard to surface water drainage it is the responsibility of the developer to make proper provision for drainage to ground, watercourses or surface water sewer in accordance with the drainage hierarchy. It is important to reduce the quantity of surface water entering the sewerage system in order to maximize the capacity for foul sewage to reduce the risk of sewer flooding.

Limiting the opportunity for surface water entering the foul and combined sewer networks is of critical importance to Thames Water. Thames Water have advocated an approach to SuDS that limits as far as possible the volume of and rate at which surface water enters the public sewer

Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	G9	Sustainability Appraisal	

Q2. Do you consider that the document:

(a) is legally compliant?	☒ Yes	☒ No
(b) is sound?	☒ Yes	☒ No
	☐	☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?	☐	(c) effective?	☐
(b) justified?	☐	(d) consistent with national policy?	☐

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

We support Policy G9 (d) where it refers to water efficiency in line with our comments to Policy R5.

Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	R5	Sustainability Appraisal	

Q2. Do you consider that the document:

(a) is legally compliant?	☒ Yes	☒ No
(b) is sound?	☒ Yes	☒ No
	☐	☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?	☐	(c) effective?	☐
(b) justified?	☐	(d) consistent with national policy?	☒

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

We support the policy generally as it is in line with previous representations, but consider further improvements should be made as set out below.

Water and wastewater infrastructure is essential to any development. Failure to ensure that any required upgrades to the infrastructure network are delivered alongside development could result in adverse impacts in the form of internal and external sewer flooding and pollution of land and water courses and/or low water pressure.

A key sustainability objective for the preparation of Local Plans and Neighbourhood Plans should be for new development to be co-ordinated with the infrastructure it demands and to take into account the capacity of existing infrastructure. Paragraph 20 of the revised National Planning

Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

In light of the above comments and Government guidance we consider Policy R5 should be amended as follows:

“Where appropriate, planning permission for developments which result in the need for off-site upgrades, will be subject to conditions to ensure the occupation is aligned with the delivery of necessary infrastructure upgrades.”

“The Local Planning Authority will seek to ensure that there is adequate water and wastewater infrastructure to serve all new developments. Developers are encouraged to contact the water/waste water company as early as possible to discuss their development proposals and intended delivery programme to assist with identifying any potential water and wastewater network reinforcement requirements. Where there is a capacity constraint the Local Planning Authority will, where appropriate, apply phasing conditions to any approval to ensure that any necessary infrastructure upgrades are delivered ahead of the occupation of the relevant phase of development.”



Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	R8	Sustainability Appraisal	

Q2. Do you consider that the document:

(a) is legally compliant?

☒ Yes

☐ No

(b) is sound?

☒ Yes

☐ No

☐

☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?

☐

(c) effective?

☐

(b) justified?

☐

(d) consistent with national policy?

☐

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

The new Local Plan should assess impact of any development within the vicinity of existing sewage works/sewage pumping stations in line with the Agent of Change principle set out in the NPPF, paragraph 187. We therefore support the additional text at the end of Policy R8 which is in line with our previous representations.

Paragraph 174 of the NPPF, sets out that: "Planning policies and decisions should contribute to and enhance the natural and local environment by:e) preventing new and existing development from contributing to, being put at unacceptable risk from, or being adversely affected by, unacceptable levels of soil, air, water or noise pollution or land instability. Development should, wherever possible, help to improve local environmental conditions such as

Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	Site Allocations	Sustainability Appraisal	

[add as c.8 whole chapter comment](#)

Q2. Do you consider that the document:

- | | | |
|---------------------------|--------------------------------------|-------------------------------------|
| (a) is legally compliant? | ☒ Yes | ☒ No |
| (b) is sound? | ☒ Yes | ☒ No |
| | ☐ | ☐ |

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

- | | | | |
|--------------------------|--------------------------|--------------------------------------|-------------------------------------|
| (a) positively prepared? | ☐ | (c) effective? | ☐ |
| (b) justified? | ☐ | (d) consistent with national policy? | ☒ |

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

The information contained within the new Local Plan will be of significant value to Thames Water as we prepare for the provision of future water supply/wastewater infrastructure.

The attached table provides Thames Water's site specific comments from desktop assessments on water supply, sewerage/waste water network and waste water treatment infrastructure in relation to the proposed sites, but more detailed modelling may be required to refine the requirements.

Thames Water would welcome an opportunity to work with the planning authorities and planners/developers to ensure that the right amount of planning is put in ahead of the



Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Refer to the above. We recommend developers attach the information we provide to their planning applications so that the Council and the wider public are assured water and waste matters for the development are being addressed.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

DETAILS OF YOUR COMMENT

Part B

Please read the accompanying notes before completing Part B. The notes explain what we mean by soundness and legal compliance. These are questions that we are expected to ask consultees.

Please use a new Part B for each point you are commenting on. Attach all completed forms to Part A.

Q1. Which part of the document do you wish to comment on? (please give the relevant paragraph or policy number)

Paragraph		Policies Map	
Policy Number	SPS12, SPS13, SPS14	Sustainability Appraisal	
		140.6 - SPS12	
		140.7 - SPS13	
		140.8 - SPS7	

Q2. Do you consider that the document:

(a) is legally compliant?	☒ Yes	☒ No
(b) is sound?	☒ Yes	☒ No
	☐	☐

Q3. Do you consider that the document is **unsound** because it is not: (tick as appropriate)

(a) positively prepared?	☐	(c) effective?	☐
(b) justified?	☐	(d) consistent with national policy?	☒

Q4. Please tell us below why you consider the document to be unsound or not legally compliant. If you do believe the document is sound or legally compliant, or complies you may use the box to explain why.

The regeneration area at Kassam Stadium and Ozone Leisure Park & Overflow Car Park, Kassam Stadium and Oxford Science Park is located within close proximity of Oxford Sewage Treatment Works.
Therefore, any redevelopment proposals will need to be assessed and mitigated in compliance with Policy R8 in relation to odour from sewage treatment works.

Please use an extra sheet if completing a paper copy.

Q5. What change(s) do you consider necessary to make the document sound or legally compliant? Please explain why this change will achieve soundness or legal compliance. It would be helpful if you could suggest revised wording for the policy or text in question.

Refer to need for an Odour Impact Assessment in line with Policy R8.

Please use an extra sheet if completing a paper copy.

This is the end of the comment form

Policy Reference	Rep ID	Comment
G7	140.1	We generally support Policy G7 as it is in general accordance with the NPPF and the PPG. The National Planning Practice Guidance (PPG) states that a sequential approach should be used by local planning authorities in areas known to be at risk from forms of flooding other than from river and sea, which includes "Flooding from Sewers". We therefore support the reference to sewer flooding. When reviewing development and flood risk it is important to recognise that water and/or sewerage infrastructure may be required to be developed in flood risk areas. By their very nature water and sewage treatment works are located close or adjacent to rivers (to abstract water for treatment and supply or to discharge treated effluent). It is likely that these existing works will need to be upgraded or extended to provide the increase in treatment capacity required to service new development. Flood risk sustainability objectives should therefore accept that water and sewerage infrastructure development may be necessary in flood risk areas. Flood risk policies should also make reference to 'sewer flooding' and an acceptance that flooding can occur away from the flood plain as a result of development where off site sewerage infrastructure and capacity is not in place ahead of development.
G8	140.2	We support Policy G8 in principle. In regard to surface water drainage it is the responsibility of the developer to make proper provision for drainage to ground, watercourses or surface water sewer in accordance with the drainage hierarchy. It is important to reduce the quantity of surface water entering the sewerage system in order to maximize the capacity for foul sewage to reduce the risk of sewer flooding. Limiting the opportunity for surface water entering the foul and combined sewer networks is of critical importance to Thames Water. Thames Water have advocated an approach to SuDS that limits as far as possible the volume of and rate at which surface water enters the public sewer system. By doing this, SuDS have the potential to play an important role in helping to ensure the sewerage network has the capacity to cater for population growth and the effects of climate change. SuDS not only help to mitigate flooding, they can also help to: improve water quality; provide opportunities for water efficiency; provide enhanced landscape and visual features; support wildlife; and provide amenity and recreational benefits.
G9	140.3	We support Policy G9 (d) where it refers to water efficiency in line with our comments to Policy R5.
R5	140.4	We support the policy generally as it is in line with previous representations, but consider further improvements should be made as set out below. A key sustainability objective for the preparation of Local Plans and Neighbourhood Plans should be for new development to be co-ordinated with the infrastructure it demands and to take into account the capacity of existing infrastructure. Paragraph 20 of the revised National Planning Policy

		Framework (NPPF), states: “Strategic policies should set out an overall strategy for the pattern, scale and quality of development, and make sufficient provision for... infrastructure for waste management, water supply, wastewater...” Paragraph 11 states: “Plans and decisions should apply a presumption in favour of sustainable development. For plan-making this means that: a) All plans should promote a sustainable pattern of development that seeks to: meet the development needs of their area; align growth and infrastructure; improve the environment; mitigate climate change (including by making effective use of land in urban areas) and adapt to its effects” Paragraph 28 relates to non-strategic policies and states: “Non-strategic policies should be used by local planning authorities and communities to set out more detailed policies for specific areas, neighbourhoods or types of development. This can include allocating sites, the provision of infrastructure...” Paragraph 26 of the revised NPPF goes on to state: “Effective and on-going joint working between strategic policy-making authorities and relevant bodies is integral to the production of a positively prepared and justified strategy. In particular, joint working should help to determine where additional infrastructure is necessary....” The December 2025 draft National Planning Policy Framework (NPPF) consultation, published by the UK Government, proposes updates to national planning policy. The draft highlights the importance of resilient water infrastructure, with Policy W4: Water Infrastructure supporting the delivery and upgrade of water supply and treatment facilities. The policy recognises the benefits of improving capacity, reliability, and water quality, stating that proposals for such infrastructure should be given ‘substantial weight’. The web based National Planning Practice Guidance (NPPG) includes a section on ‘water supply, wastewater and water quality’ and sets out that Local Plans should be the focus for ensuring that investment plans of water and sewerage/wastewater companies align with development needs. The introduction to this section also sets out that “Adequate water and wastewater infrastructure is needed to support sustainable development” (Paragraph: 001, Reference ID: 34-001-20140306). It is important to consider the net increase in water and wastewater demand to serve the development and also any impact that developments may have off site, further down the network. The new Local Plan should therefore seek to ensure that there is adequate water and wastewater infrastructure to serve all new developments. Thames Water will work with developers and local authorities to ensure that any necessary infrastructure reinforcement is delivered ahead of the occupation of development. Where there are infrastructure constraints, it is important not to under estimate the time required to deliver necessary infrastructure. For example: local network upgrades take around 18 months and Sewage Treatment & Water Treatment Works upgrades can take 3-5 years. As from 1st April 2018, the way Thames Water and all other water and wastewater companies charge for new connections has changed. The changes mean that more of Thames Water’s charges will be fixed and published, rather than provided on application, enabling you to estimate your
--	--	---

		costs without needing to contact us. The services affected include new water connections, lateral drain connections, water mains and sewers (requisitions), traffic management costs, income offsetting and infrastructure charges. Paragraph 10.70 should therefore be amended accordingly. Information on how off site network reinforcement is funded can be found here https://developers.thameswater.co.uk/New-connection-charging Thames Water therefore recommends that developers engage with them at the earliest opportunity (in line with paragraph 26 of the revised NPPF) to establish the following: • The developments demand for water supply and network infrastructure both on and off site; • The developments demand for Sewage/Wastewater Treatment and network infrastructure both on and off site and can it be met; and • The surface water drainage requirements and flood risk of the development both on and off site and can it be met.
SPS12	140.6	The regeneration area at Kassam Stadium and Ozone Leisure Park & Overflow Car Park, Kassam Stadium and Oxford Science Park is located within close proximity of Oxford Sewage Treatment Works. Therefore, any redevelopment proposals will need to be assessed and mitigated in compliance with Policy R8 in relation to odour from sewage treatment works.
SPS13	140.7	The regeneration area at Kassam Stadium and Ozone Leisure Park & Overflow Car Park, Kassam Stadium and Oxford Science Park is located within close proximity of Oxford Sewage Treatment Works. Therefore, any redevelopment proposals will need to be assessed and mitigated in compliance with Policy R8 in relation to odour from sewage treatment works.
SPS7	140.8	The regeneration area at Kassam Stadium and Ozone Leisure Park & Overflow Car Park, Kassam Stadium and Oxford Science Park is located within close proximity of Oxford Sewage Treatment Works. Therefore, any redevelopment proposals will need to be assessed and mitigated in compliance with Policy R8 in relation to odour from sewage treatment works.

Site allocations	140.9	The information contained within the new Local Plan will be of significant value to Thames Water as we prepare for the provision of future water supply/wastewater infrastructure. The attached table provides Thames Water's site specific comments from desktop assessments on water supply, sewerage/waste water network and waste water treatment infrastructure in relation to the proposed sites, but more detailed modelling may be required to refine the requirements. Thames Water would welcome an opportunity to work with the planning authorities and planners/developers to ensure that the right amount of planning is put in ahead of the development to enable the required infrastructure capacity without causing any detriment to the existing system or environment. Thames Water does not reserve network or treatment capacity for specific development sites. It is the responsibility of the Local Planning authority to prioritise development. As such, early engagement between the developers and Thames Water would be beneficial to understand: • What drainage requirements are required on and off site • Clarity on what loading/flow from the development is anticipated • Water supply requirements on and off site The time to deliver water/wastewater infrastructure should not be underestimated. It can take 18 months – 3 years for local upgrades and 3 – 5 years plus for more strategic solutions to be delivered. It is therefore vital that the Council and Developers work alongside Thames Water so that we can build up a detailed picture what is being built where, get confidence of when that development is going to start and what the phasing of that development will be. To support this Thames Water offers a pre planning service where developers can engage Thames water to understand what if any upgrades will be needed to serve the development where and when. Link here > https://www.thameswater.co.uk/developers/larger-scale-developments/planning-your-development/water-and-wastewater-capacity
------------------	-------	--



David Wilson

E: [REDACTED]
M: [REDACTED]

Oxford City Council

By email: planningpolicy@oxford.gov.uk

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

11 March 2026

140

Oxford Local Plan 2045 - Submission Draft (Regulation 19) Consultation, January 2026

Dear Sir/Madam,

Thank you for allowing Thames Water Utilities Ltd (Thames Water) to comment upon the above.

As you will be aware, Thames Water are the statutory water supply and sewerage undertaker for Oxford City and are hence a “**specific consultation body**” in accordance with the Town & Country Planning (Local Planning) Regulations 2012.

Please find enclosed our completed representation forms for the following policies:

1. Policy R5: Water Resources and Quality
2. Policy G7: Flood Risk
3. Policy G8: Sustainable Drainage
4. Policy G9: Resilient Design & Construction
5. Policy R8: Amenity and Environmental Health Impacts of Development
6. Site Allocations
7. SPS12 (Oxford Science Park), SPS13 (Ozone Leisure Park), SPS7 (Kassam Stadium)

If you have any question son the above, please contact David Wilson on the above telephone number and email address.

Yours faithfully,

David Wilson

[REDACTED]